| Advance adjl configuration | L Number | Hits | Search Text | DB | Time stamp |
|--|-------------|-------|---|----------------------------------|------------|
| 327 (advanced adjl configuration adjl power) USPAT; US-PGUB; EPO; JPO; DERWENT USPAT; US-PGUB; | - | 74 | advance adj1 configuration | US-PGPUB; EPO; JPO; | |
| Compared to the compared of | _ | 327 | (advanced adj1 configuration adj1 power) | USPAT; US-PGPUB; EPO; JPO; | 1 |
| 18204 | - | 2003 | ((power or system) adj1 management) near3 (information or logic or program) | USPAT; US-PGPUB; EPO; JPO; | |
| 154 | - | 18204 | (host or system) nearl specific | USPAT; US-PGPUB; EPO; JPO; | |
| | _ | 154 | near3 (information or logic or program)) | USPAT; US-PGPUB; EPO; JPO; | |
| 1688 (transfer\$5 or upload\$5) with (boot or power adj1 on or run?time) | _ | 17 | near3 (information or logic or program)) and ((host or system) near1 specific)) and ((advanced adj1 configuration adj1 | US-PGPUB; EPO; JPO; | 1 |
| near3 (information or logic or program) and ((host or system) nearl specific)) and ((advanced adjl configuration adjl power))) and ((transfer\$5 or upload\$5) with (boot or power adjl on or run?time)) ((((power or system) adjl management) near3 (information or logic or program)) and ((transfer\$5 or upload\$5) with (boot or power adjl on or run?time)) ((advanced adjl configuration adjl power)) and ((transfer\$5 or upload\$5) with (boot or power adjl on or run?time)) ((advanced adjl configuration adjl power)) and ((transfer\$5 or upload\$5) with (boot or power adjl on or run?time)) ((information or logic or program)) and ((transfer\$5 or upload\$5) with (boot or power adjl on or run?time)) ((information or logic or program)) and ((transfer\$5 or upload\$5) with (boot or power adjl on or run?time)) ((((power or system) adjl management) near3 (information or logic or program)) and ((transfer\$5 or upload\$5) with (boot or power adjl on or run?time)) or ((((host or system) nearl specific) and ((transfer\$5 or upload\$5) with (boot or power adjl on or run?time))) or ((((host or system) nearl specific) and ((transfer\$5 or upload\$5) with (boot or power adjl on or run?time))) or ((((advanced adjl configuration adjl berwent or power adjl on or run?time))) or ((((advanced adjl configuration adjl))) or (((advanced adjl configuration adjl))) | _ | 1688 | (transfer\$5 or upload\$5) with (boot or | US-PGPUB; EPO; JPO; | |
| 12 | _ | 1 | near3 (information or logic or program)) and ((host or system) near1 specific)) and ((advanced adj1 configuration adj1 power))) and ((transfer\$5 or upload\$5) | US-PGPUB; EPO; JPO; | 1 ' ' |
| ((advanced adj1 configuration adj1 power)) and ((transfer\$5 or upload\$5) with (boot or power adj1 on or run?time)) ((host or system) nearl specific) and ((transfer\$5 or upload\$5) with (boot or power adj1 on or run?time)) (((power or system) adj1 management) near3 (information or logic or program)) and ((transfer\$5 or upload\$5) with (boot or power adj1 on or run?time)) (((power or system) adj1 management) near3 (information or logic or program)) and ((transfer\$5 or upload\$5) with (boot or power adj1 on or run?time)) or power adj1 on or run?time))) or (((host or system) nearl specific) and ((transfer\$5 or upload\$5) with (boot or power adj1 on or run?time))) or (((host or system) nearl specific) and ((transfer\$5 or upload\$5) with (boot or power adj1 on or run?time))) or (((advanced adj1 configuration adj1) | _ | 12 | <pre>((((power or system) adj1 management) near3 (information or logic or program)) and ((host or system) near1 specific)) and ((transfer\$5 or upload\$5) with (boot</pre> | US-PGPUB; EPO; JPO; | |
| ((transfer\$5 or upload\$5) with (boot or power adj1 on or run?time)) - 22 (((power or system) adj1 management) | - | 5 | ((advanced adj1 configuration adj1 power)) and ((transfer\$5 or upload\$5) with | US-PGPUB; EPO; JPO; | |
| near3 (information or logic or program)) and ((transfer\$5 or upload\$5) with (boot or power adj1 on or run?time)) - 139 ((((power or system) adj1 management) near3 (information or logic or program)) and ((transfer\$5 or upload\$5) with (boot or power adj1 on or run?time))) or (((host or system) near1 specific) and ((transfer\$5 or upload\$5) with (boot or power adj1 on or run?time))) or (((advanced adj1 configuration adj1) | - | 125 | ((transfer\$5 or upload\$5) with (boot or | US-PGPUB; EPO; JPO; | |
| near3 (information or logic or program)) and ((transfer\$5 or upload\$5) with (boot or power adj1 on or run?time))) or (((host or system) near1 specific) and ((transfer\$5 or upload\$5) with (boot or power adj1 on or run?time))) or (((advanced adj1 configuration adj1 | - | 22 | <pre>near3 (information or logic or program)) and ((transfer\$5 or upload\$5) with (boot</pre> | US-PGPUB; EPO; JPO; | 21:21 |
| <pre>with (boot or power adj1 on or run?time))) or (((((power or system) adj1 management) near3 (information or logic or program)) and ((host or system) near1 specific)) and ((transfer\$5 or upload\$5) with (boot or power adj1 on or</pre> | | 139 | near3 (information or logic or program)) and ((transfer\$5 or upload\$5) with (boot or power adj1 on or run?time))) or (((host or system) near1 specific) and ((transfer\$5 or upload\$5) with (boot or power adj1 on or run?time))) or (((advanced adj1 configuration adj1 power)) and ((transfer\$5 or upload\$5) with (boot or power adj1 on or run?time))) or (((((power or system) adj1 management) near3 (information or logic or program)) and ((host or system) near1 specific)) and ((transfer\$5 or upload\$5) | US-PGPUB; EPO; JPO; | |

| | | (((((power or system) adj1 management) | USPAT; | 2003/06/03 |
|---|----|--|---|---------------------|
| | J | near3 (information or logic or program)) and ((transfer\$5 or upload\$5) with (boot or power adj1 on or run?time))) or (((host or system) near1 specific) and ((transfer\$5 or upload\$5) with (boot or power adj1 on or run?time))) or (((advanced adj1 configuration adj1 power)) and ((transfer\$5 or upload\$5) with (boot or power adj1 on or run?time))) or ((((power or system) adj1 management) near3 (information or logic or program)) and ((host or system) near1 specific)) and ((transfer\$5 or upload\$5) with (boot or power adj1 on or run?time)))) and signitur\$3 | US-PGPUB; EPO; JPO; DERWENT | 21:17 |
| | 4 | <pre>(((((power or system) adj1 management) near3 (information or logic or program)) and ((transfer\$5 or upload\$5) with (boot or power adj1 on or run?time))) or (((host or system) near1 specific) and ((transfer\$5 or upload\$5) with (boot or power adj1 on or run?time))) or (((advanced adj1 configuration adj1 power)) and ((transfer\$5 or upload\$5) with (boot or power adj1 on or run?time))) or ((((power or system) adj1 management) near3 (information or logic or program)) and ((host or system) near1 specific)) and ((transfer\$5 or upload\$5) with (boot or power adj1 on or run?time)))) and (stor\$4 or sav\$5) with (host or system) near1 specific</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/06/03 20:56 |
| - | 0 | <pre>(((power or system) adj1 management) near3 (information or logic or program)) and signitur\$3</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/06/03 - 21:18 |
| - | 0 | ((advanced adj1 configuration adj1 power)) and signitur\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/06/03 |
| _ | 1 | ((host or system) nearl specific) and signitur\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/06/03 |
| - | 18 | <pre>((((power or system) adj1 management) near3 (information or logic or program)) and ((transfer\$5 or upload\$5) with (boot or power adj1 on or run?time))) and (off?line or offline or operational or power\$3 adj1 off)</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/06/03 22:02 |
| - | 7 | | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/06/03 21:39 |
| - | 11 | I .T | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/06/03 21:40 |

| _ | 10 | ((((((power or system) adj1 management) | USPAT; | 2003/06/03 |
|----------|-------|---|---------------------|------------|
| | | near3 (information or logic or program)) | US-PGPUB; | 21:40 |
| | | and ((transfer\$5 or upload\$5) with (boot | EPO; JPO; | |
| | | or power adj1 on or run?time))) and | DERWENT | 1 |
| | | (off?line or offline or operational or | | |
| | | power\$3 adj1 off)) not (((((power or | | |
| | | system) adj1 management) near3 | | |
| | | (information or logic or program)) and | | |
| | | ((transfer\$5 or upload\$5) with (boot or | | |
| | | power adj1 on or run?time))) and | | |
| | | (off?line or offline or ????operational | | |
| | | or power\$3 adj1 off))) and @ad<20010126 | | 2000/06/00 |
| - | 11 | ((((((power or system) adj1 management) | USPAT; | 2003/06/03 |
| | | near3 (information or logic or program)) | US-PGPUB; | 22:03 |
| | | and ((transfer\$5 or upload\$5) with (boot | EPO; JPO; | |
| | | or power adj1 on or run?time))) and | DERWENT | |
| | | (off?line or offline or operational or | | |
| | | power\$3 adj1 off)) not ((((power or | | 1 |
| | ļ | system) adj1 management) near3 | | |
| | | (information or logic or program)) and | | |
| | | ((transfer\$5 or upload\$5) with (boot or | | |
| 1 | 1 | power adjl on or run?time))) and | | |
| | | (off?line or offline or ????operational | | |
| | 10270 | or power\$3 adj1 off))) and @ad<20011026 | USPAT; | 2003/06/05 |
| - | 10378 | (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (prior or before) near5 | US-PGPUB; | 15:27 |
| | | (boot or power adjl on or run?time or | EPO; JPO; | 15.27 |
| | | (self near1 test\$3) or start\$5 or | DERWENT | |
| | | (Sell Heall test\$3) of Start\$3 of initia\$7) | ~~ | |
| _ | 6 | (((((power or system) adj1 management) | USPAT; | 2003/06/03 |
| | | near3 (information or logic or program)) | US-PGPUB; | 22:02 |
| | | and ((transfer\$5 or upload\$5) with (boot | EPO; JPO; | |
| . | | or power adj1 on or run?time))) or | DERWENT | |
| | 1 | (((host or system) near1 specific) and | | • |
| | | ((transfer\$5 or upload\$5) with (boot or | | |
| | | power adj1 on or run?time))) or | | |
| | | (((advanced adj1 configuration adj1 | | |
| | | power)) and ((transfer\$5 or upload\$5) | | 1 |
| | | with (boot or power adj1 on or | | |
| | | run?time))) or ((((power or system) adj1 | | |
| | | management) near3 (information or logic | | |
| | | or program)) and ((host or system) near1 | | |
| | | specific)) and ((transfer\$5 or upload\$5) | | |
| | | with (boot or power adj1 on or | | |
| | | run?time)))) and ((transfer\$5 or upload\$5 | | [|
| | | or transmit\$5 or send\$5) with (prior or | | |
| | | before) near5 (boot or power adj1 on or | | |
| ļ | | run?time or (self near1 test\$3) or | | |
| | | start\$5 or initia\$7)) | | 0000/05/55 |
| - | 190 | 1 1 1 | USPAT; | 2003/06/03 |
| | | ((transfer\$5 or upload\$5 or transmit\$5 or | US-PGPUB; | 22:02 |
| | | send\$5) with (prior or before) near5 | EPO; JPO; | |
| 1 | | (boot or power adj1 on or run?time or | DERWENT | |
| | | (self near1 test\$3) or start\$5 or | 1 | |
| 1 | 1 | initia\$7)) | IICDATE. | 2003/06/03 |
| - | 15 | (((host or system) near1 specific) and | USPAT; US-PGPUB; | 23:08 |
| | | ((transfer\$5 or upload\$5 or transmit\$5 or | EPO; JPO; | 23.00 |
| 1 | | send\$5) with (prior or before) near5 (boot or power adj1 on or run?time or | DERWENT | |
| | | , , | DELMENT | |
| | | (self near1 test\$3) or start\$5 or initia\$7))) and (off?line or offline or | | |
| 1 | | ?????operational or power\$3 adj1 off) | | |
| _ | 12 | 1 | USPAT; | 2003/06/03 |
| - | 12 | ((transfer\$5 or upload\$5 or transmit\$5 or | US-PGPUB; | 22:53 |
| | | send\$5) with (prior or before) near5 | EPO; JPO; | |
| | | (boot or power adj1 on or run?time or | DERWENT | |
| | | (self near1 test\$3) or start\$5 or | | |
| | 1 | initia\$7))) and (off?line or offline or | | |
| - | 1 | ????operational or power\$3 adj1 off)) and | | |
| | | @ad<20011026 | | |
| . | 1 | | 1 | |

| <u> </u> | 18 | 5689678.URPN. | USPAT | 2003/06/03 |
|----------|---------|--|------------------------|--------------|
| | 1 | 30030704000000 | | 22:09 |
| _ | 49545 | (host or system) near1 (specific on | USPAT; | 2003/06/03 |
| | | configuration) | US-PGPUB; | 22:41 |
| , | ! | | EPO; JPO; | |
| ļ | _ | | DERWENT | 0000 406 400 |
| - | 9 | ((host or system) near1 (specific on | USPAT; | 2003/06/03 |
| | | configuration)) same ((transfer\$5 or | US-PGPUB; EPO; JPO; | 22:48 |
| | | upload\$5 or transmit\$5 or send\$5) with (prior or before) near5 (boot or power | DERWENT | 1 |
| | | adjl on or run?time or (self near) | DEKWENI | |
| | | test\$3) or start\$5 or initia\$7)) | | |
| <u>_</u> | 46 | ((host or system) nearl (specific on | USPAT; | 2003/06/04 |
| | " | configuration)) same ((transfer\$5 or | US-PGPUB; | 19:49 |
| | | upload\$5) with (boot or power adj1 on or | EPO; JPO; | |
| 1 | | run?time)) | DERWENT | |
| _ | 891 | (transfer\$5 or upload\$5 or transmit\$5 or | USPAT; | 2003/06/05 |
| | | send\$5) near5 (boot adj1 time or power | US-PGPUB; | 15:59 |
| | | adjl on or run?time or (self nearl | EPO; JPO; | |
| 1 | | test\$3)) | DERWENT | 2003/06/03 |
| - | 41 | (((host or system) near1 (specific on configuration)) same ((transfer\$5 or | USPAT; US-PGPUB; | 23:16 |
| | | upload\$5) with (boot or power adj1 on or | EPO; JPO; | |
| | | run?time))) and @ad<20011026 | DERWENT | |
| _ | 3 | ((((host or system) near1 (specific on | USPAT; | 2003/06/03 |
| | | configuration)) same ((transfer\$5 or | US-PGPUB; | 23:16 |
| | | upload\$5) with (boot or power adj1 on or | EPO; JPO; | |
| | | run?time))) and @ad<20011026) and | DERWENT | |
| | | (off?line or offline or ????operational | | |
| _ | 7 | or power\$3 adj1 off) ((host or system) near1 (specific on | USPAT; | 2003/06/03 |
| - | / | configuration)) same ((transfer\$5 or | US-PGPUB; | 23:15 |
| | | upload\$5 or transmit\$5 or send\$5) near5 | EPO; JPO; | |
| | | (boot adj1 time or power adj1 on or | DERWENT | ' |
| | | run?time or (self near1 test\$3))) | | |
| - | 164 | ((host or system) nearl (specific on | USPAT; | 2003/06/04 |
| | | configuration)) and ((transfer\$5 or | US-PGPUB; | 20:06 |
| | | upload\$5 or transmit\$5 or send\$5) near5 | EPO; JPO; | |
| | | (boot adj1 time or power adj1 on or run?time or (self near1 test\$3))) | DERWENT | |
| _ | 35 | (((host or system) near1 (specific on | USPAT; | 2003/06/04 |
| | | configuration)) and ((transfer\$5 or | US-PGPUB; | 21:37 |
| | | upload\$5 or transmit\$5 or send\$5) near5 | EPO; JPO; | |
| | | (boot adj1 time or power adj1 on or | DERWENT | 1 |
| | | run?time or (self near1 test\$3)))) and | | |
| | | (off?line or offline or ????operational | | |
| | | or power\$3 adj1 off) | IICDAM - | 2002/06/04 |
| - | 33 | | USPAT; | 2003/06/04 |
| | | configuration)) and ((transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 | US-PGPUB; EPO; JPO; | 20.03 |
| | | (boot adj1 time or power adj1 on or | DERWENT | |
| | | run?time or (self near1 test\$3)))) and | | |
| 1 | | (off?line or offline or ????operational | | |
| | | or power\$3 adj1 off)) and @ad<20011026 | | |
| - | 18149 | | USPAT; | 2003/06/04 |
| | | | US-PGPUB; | 12:44 |
| | | | EPO; JPO; | |
| _ | 24722 | (ID on noticentes) means address | DERWENT USPAT; | 2003/06/04 |
| - | 24722 | (IP or network\$3) nearl address | US-PGPUB; | 12:46 |
| | 1 | | EPO; JPO; | |
| | | | DERWENT | |
| - | 20760 | (physical or hardware) near3 address | USPAT; | 2003/06/04 |
| 1 | | | US-PGPUB; | 12:45 |
| | | | EPO; JPO; | |
| | | | DERWENT | 0000/05/05 |
| 1 - | 1334 | | USPAT; | 2003/06/04 |
| | | ((physical or hardware) near3 address) | US-PGPUB; | 12:45 |
| | | | EPO; JPO; DERWENT | |
| I | <u></u> | | T DEKMENT | |

| - | 27 | ((((host or system) near1 (specific on configuration)) same (transfer\$5 or upload\$5 or transmit\$5 or send\$5)) same | USPAT; US-PGPUB; EPO; JPO; | 2003/06/04 21:14 |
|---|--------|--|--|---------------------|
| | | ((Power adj1 On adj1 Self adj1 Test) or POST or (power near2 self adj1 test))) and (during or while or when or time) with ((Power adj1 On adj1 Self adj1 Test) | DERWENT | |
| - | 469053 | or POST or (power near2 self adj1 test)) ((Power adj1 On adj1 Self adj1 Test) or POST or (power near2 self adj1 test)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/06/04 20:19 |
| | 23 | (((((host or system) nearl (specific on configuration)) same (transfer\$5 or upload\$5 or transmit\$5 or send\$5)) same ((Power adjl On adjl Self adjl Test) or POST or (power near2 self adjl test))) and (during or while or when or time) with ((Power adjl On adjl Self adjl Test) or POST or (power near2 self adjl test))) and @ad<20011026 | US-PGPUB; US-PGPUB; EPO; JPO; DERWENT | 2003/06/04 20:47 |
| - | 1328 | ((host or system) nearl (specific on configuration)) near5 (transfer\$5 or upload\$5 or transmit\$5 or send\$5) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/06/04 20:35 |
| - | 10987 | ((device or computer or machine or host or system) near2 specific) near5 (information or data or configuration) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/06/04 20:39 |
| - | 134124 | <pre>(transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 ((device or computer or machine or host or system) near2 (information or data or configuration))</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/06/04 20:41 |
| | 141647 | <pre>(((device or computer or machine or host or system) near2 specific) near5 (information or data or configuration)) or ((transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 ((device or computer or machine or host or system) near2 (information or data or configuration)))</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/06/05 |
| - | 690 | <pre>((((device or computer or machine or host or system) near2 specific) near5 (information or data or configuration)) or ((transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 ((device or computer or machine or host or system) near2 (information or data or configuration)))) same (((Power adj1 On adj1 Self adj1 Test) or POST or (power near2 self adj1 test)))</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/06/04 20:40 |
| _ | 159 | | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/06/04 22:33 |

| | | 1171111 1 | TIG Dam | 2002/06/04 |
|---|--------|---|----------------------------------|---------------------|
| - | 140 | <pre>((((((device or computer or machine or host or system) near2 specific) near5 (information or data or configuration))</pre> | USPAT; US-PGPUB; EPO; JPO; | 2003/06/04 21:35 |
| | | or ((transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 ((device or computer or | DERWENT | |
| | | machine or host or system) near2 (information or data or configuration)))) | | |
| | | same (((Power adj1 On adj1 Self adj1 Test) or POST or (power near2 self adj1 | | |
| | ! | test)))) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 ((second or | | |
| | ! - | separat\$5 or another or coupled or connected or attached) near2 (device or | | |
| | | computer or machine or host or system or unit))) and @ad<20011026 | | |
| - | 38 | ((((((device or computer or machine or host or system) near2 specific) near5 | USPAT; US-PGPUB; | 2003/06/04 |
| | | (information or data or configuration)) or ((transfer\$5 or upload\$5 or transmit\$5 | EPO; JPO; DERWENT | 21.14 |
| | | or send\$5) near5 ((device or computer or machine or host or system) near2 | DERWENT | |
| | | (information or data or configuration))) same (((Power adj1 On adj1 Self adj1 | | |
| | | Test) or POST or (power near2 self adj1 test)))) and (transfer\$5 or upload\$5 or | | |
| | | transmit\$5 or send\$5) near5 ((second or separat\$5 or another or coupled or | | |
| | | connected or attached) near2 (device or computer or machine or host or system or | | |
| | | unit))) and @ad<20011026) and (during or while or when or time) with ((Power adj1 | | |
| | | On adj1 Self adj1 Test) or POST or (power near2 self adj1 test)) | | |
| _ | 12 | <pre>(((((((device or computer or machine or host or system) near2 specific) near5</pre> | USPAT; US-PGPUB; | 2003/06/04 |
| | | <pre>(information or data or configuration)) or ((transfer\$5 or upload\$5 or transmit\$5</pre> | EPO; JPO; DERWENT | _ |
| | | or send\$5) near5 ((device or computer or machine or host or system) near2 | | |
| | | (information or data or configuration)))) same (((Power adj1 On adj1 Self adj1 | | |
| | | Test) or POST or (power near2 self adj1 test)))) and (transfer\$5 or upload\$5 or | | |
| | | transmit\$5 or send\$5) near5 ((second or separat\$5 or another or coupled or | | |
| | | connected or attached) near2 (device or computer or machine or host or system or unit))) and @ad<20011026) and (transfer\$5 | | |
| | | or upload\$5 or transmit\$5 or send\$5) near5 (during or while or when or time) | | |
| | | with ((Power adj1 On adj1 Self adj1 Test) or POST or (power near2 self adj1 test)) | | |
| - | 7200 | ((((device or computer or machine or host or system) near2 specific) near5 | USPAT; US-PGPUB; | 2003/06/04 22:34 |
| | | (information or data or configuration)) or ((transfer\$5 or upload\$5 or transmit\$5 | EPO; JPO; DERWENT | |
| | | or send\$5) near5 ((device or computer or machine or host or system) near2 | | |
| | | (information or data or configuration)))) and ((during or while or when or time) | | |
| | | with ((Power adj1 On adj1 Self adj1 Test) or (power near2 self adj1 test)) or | | |
| | | boot\$3 or run?time runtime) | <u> </u> | <u> </u> |

| | 166 | TITTI da an ananatan an mashina an | TICDAM. | 2003/06/04 |
|----|------|--|---------------------|---------------------|
| _ | 166 | ((((device or computer or machine or host or system) near2 specific) near5 | USPAT; US-PGPUB; | 22:39 |
| | | (information or data or configuration)) | EPO; JPO; | |
| | | or ((transfer\$5 or upload\$5 or transmit\$5 | DERWENT | |
| | | or send\$5) near5 ((device or computer or | | |
| | | machine or host or system) near2 | | |
| | | (information or data or configuration)))) | | |
| | | and ((during or while or when or time) | | |
| | | <pre>with ((Power adj1 On adj1 Self adj1 Test) or (power near2 self adj1 test)) or</pre> | | |
| | | boot\$3 or run?time runtime)) and | | |
| ţ | | (transfer\$5 or upload\$5 or transmit\$5 or | | |
| | | send\$5) near5 (information) with ((during | | İ |
| 1 | | or while or when or time) with ((Power | | |
| | | adjl On adjl Self adjl Test) or (power | | |
| | | near2 self adj1 test)) or boot\$3 or | | |
| | 150 | run?time runtime) | HCDAM. | 2002/06/04 |
| - | 150 | ((((((device or computer or machine or | USPAT; US-PGPUB; | 2003/06/04 |
| | | host or system) near2 specific) near5 (information or data or configuration)) | EPO; JPO; | 22.55 |
| | | or ((transfer\$5 or upload\$5 or transmit\$5 | DERWENT | |
| | , | or send\$5) near5 ((device or computer or | | |
| | | machine or host or system) near2 | | |
| 1 | | (information or data or configuration)))) | | |
| 1 | | and ((during or while or when or time) | | |
| | | with ((Power adj1 On adj1 Self adj1 Test) | | |
| 1 | | or (power near2 self adj1 test)) or boot\$3 or run?time runtime)) and | | |
| | | (transfer\$5 or upload\$5 or transmit\$5 or | | |
| | | send\$5) near5 (information) with ((during | | |
| | | or while or when or time) with ((Power | | |
| | | adj1 On adj1 Self adj1 Test) or (power | | |
| | | near2 self adj1 test)) or boot\$3 or | | |
| | | run?time runtime)) and @ad<20011026 | ********** | 2002/06/05 |
| - | 23 | ((((((device or computer or machine or | USPAT; US-PGPUB; | 2003/06/05 18:29 |
| | | host or system) near2 specific) near5 (information or data or configuration)) | EPO; JPO; | 10.29 |
| | | or ((transfer\$5 or upload\$5 or transmit\$5 | DERWENT | · |
| | | or send\$5) near5 ((device or computer or | | |
| | | machine or host or system) near2 | | |
| | | (information or data or configuration)))) | | |
| | ļ | and ((during or while or when or time) | | |
| | | with ((Power adj1 On adj1 Self adj1 Test) or (power near2 self adj1 test)) or | | i |
| | | boot\$3 or run?time runtime)) and | | |
| | | (transfer\$5 or upload\$5 or transmit\$5 or | | |
| | | send\$5) near5 (information) with ((during | | |
| | | or while or when or time) with ((Power | | |
| | | adj1 On adj1 Self adj1 Test) or (power | | |
| | 1 | near2 self adj1 test)) or boot\$3 or | | |
| | | run?time runtime)) and @ad<20011026) and (off?line or offline or ????operational | | |
| ł | | or power\$3 adj1 off) | | |
| 1_ | 2675 | (((((device or computer or machine or | USPAT; | 2003/06/04 |
| | 1 | host or system) near2 specific) near5 | US-PGPUB; | 22:38 |
| | | (information or data or configuration)) | EPO; JPO; | |
| | | or ((transfer\$5 or upload\$5 or transmit\$5 | DERWENT | |
| | | or send\$5) near5 ((device or computer or | | |
| | | machine or host or system) near2 | | |
| 1 | | (information or data or configuration)))) and ((during or while or when or time) | | |
| | | with ((Power adj1 On adj1 Self adj1 Test) | | |
| 1 | | or (power near2 self adj1 test)) or | | |
| | | boot\$3 or run?time runtime)) and | | |
| | | (transfer\$5 or upload\$5 or transmit\$5 or | | |
| | | send\$5) with ((second or separat\$5 or | | |
| | | another or coupled or connected or | | |
| | | attached) near2 (subsystem or sub?system or device or computer or machine or host | | |
| | | or device or computer or machine or nost or system or unit)) | | |
| | | Or System or mire// | <u> </u> | |

| - 2 | 52 | (((((device or computer or machine or | USPAT; | 2003/06/04 |
|----------|-----|---|-----------|------------|
| | - 1 | host or system) near2 specific) near5 | US-PGPUB; | 22:42 |
| | | (information or data or configuration)) | EPO; JPO; | |
| | | or ((transfer\$5 or upload\$5 or transmit\$5 | DERWENT | |
| | | or send\$5) near5 ((device or computer or | | |
| | | machine or host or system) near2 | | ļ |
| | | (information or data or configuration)))) | | |
| | | and ((during or while or when or time) | | |
| | Ì | with ((Power adjl On adjl Self adjl Test) | | |
| | | or (power near2 self adj1 test)) or | | |
| | | boot\$3 or run?time runtime)) and | | |
| <u> </u> | ł | (transfer\$5 or upload\$5 or transmit\$5 or | Ì | ! |
| | | send\$5) with ((second or separat\$5 or | | |
| | l | another or coupled or connected or | | ļ |
| | | attached) near2 (subsystem or sub?system | | |
| | | or device or computer or machine or host | | |
| } | | or system or unit))) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 | | |
|] | | (information or data or standard or | | |
| | | operating adj1 system) with ((during or | | |
| | | while or when or time) with ((Power adj1 | | |
| | | On adjl Self adjl Test) or (power near2 | | ļ |
| | | self adj1 test)) or boot\$3 or run?time or | | |
| | | runtime) | | |
| _ 2 | 52 | (((((device or computer or machine or | USPAT; | 2003/06/04 |
| | | host or system) near2 specific) near5 | US-PGPUB; | 22:44 |
| | | (information or data or configuration)) | EPO; JPO; | |
| | | or ((transfer\$5 or upload\$5 or transmit\$5 | DERWENT | |
| | | or send\$5) near5 ((device or computer or | | |
| | | machine or host or system) near2 | | |
| | | (information or data or configuration)))) | 1 | |
| | | and ((during or while or when or time) | | |
| | | with ((Power adj1 On adj1 Self adj1 Test) | | |
| <u> </u> | | or (power near2 self adj1 test)) or | | İ |
| | | boot\$3 or run?time runtime)) and | | |
| | | (transfer\$5 or upload\$5 or transmit\$5 or | | |
| | | send\$5) with ((second or separat\$5 or another or coupled or connected or | | |
| | | attached) near2 (subsystem or sub?system | | |
| | | or device or computer or machine or host | | |
| | | or system or unit))) and (transfer\$5 or | | |
| | | upload\$5 or transmit\$5 or send\$5) near5 | 1 | 1 |
| | | • | 1 | 1 |
| | | (ACPI or advanced adj1 configuration or | | |
| | | (ACPI or advanced adj1 configuration or information or data or standard or | | |
| | | , , | | |
| | | information or data or standard or | | |
| | | information or data or standard or operating adj1 system) with ((during or | | |
| | | information or data or standard or operating adj1 system) with ((during or while or when or time) with ((Power adj1 | | |

| - 124 ((((((device or computer or machine or USPAT; | 2003/06/04 |
|--|------------|
| host or system) near2 specific) near5 US-PGPUB; (information or data or configuration)) EPO; JPO; | 22:53 |
| (information or data or configuration)) EPO; JPO; or ((transfer\$5 or upload\$5 or transmit\$5 DERWENT | |
| or send\$5) near5 ((device or computer or | |
| machine or host or system) near2 | |
| (information or data or configuration)))) | |
| and ((during or while or when or time) | |
| with ((Power adjl On adjl Self adjl Test) | |
| or (power near2 self adj1 test)) or | |
| boot\$3 or run?time runtime)) and | |
| (transfer\$5 or upload\$5 or transmit\$5 or | |
| send\$5) with ((second or separat\$5 or | |
| another or coupled or connected or attached) near2 (subsystem or sub?system | |
| or device or computer or machine or host | |
| or system or unit))) and (transfer\$5 or | |
| upload\$5 or transmit\$5 or send\$5) near5 | |
| (ACPI or advanced adj1 configuration or | |
| information or data or standard or | |
| operating adj1 system) with ((during or | |
| while or when or time) with ((Power adj1 | |
| On adj1 Self adj1 Test) or (power near2 | |
| self adj1 test)) or boot\$3 or run?time or | |
| runtime)) and (709/\$.ccls. or 710/\$.ccls. | |
| or 713/\$.ccls.) - 114 (((((((device or computer or machine or USPAT; | 2003/06/05 |
| host or system) near2 specific) near5 US-PGPUB; | 12:59 |
| (information or data or configuration)) EPO; JPO; | 12.05 |
| or ((transfer\$5 or upload\$5 or transmit\$5 DERWENT | |
| or send\$5) near5 ((device or computer or | |
| machine or host or system) near2 | |
| (information or data or configuration)))) | |
| and ((during or while or when or time) | , |
| with ((Power adj1 On adj1 Self adj1 Test) | |
| or (power near2 self adj1 test)) or | |
| boot\$3 or run?time runtime)) and (transfer\$5 or upload\$5 or transmit\$5 or | - |
| send\$5) with ((second or separat\$5 or | |
| another or coupled or connected or | |
| attached) near2 (subsystem or sub?system | |
| or device or computer or machine or host | |
| or system or unit))) and (transfer\$5 or | |
| upload\$5 or transmit\$5 or send\$5) near5 | ł |
| (ACPI or advanced adj1 configuration or | |
| information or data or standard or | |
| operating adj1 system) with ((during or while or when or time) with ((Power adj1 | |
| On adjl Self adjl Test) or (power near2 | |
| self adj1 test)) or boot\$3 or run?time or | |
| runtime)) and (709/\$.ccls. or 710/\$.ccls. | |
| or 713/\$.ccls.)) and @ad<20011026 | |
| - 33 auxilary near3 (device or processor or USPAT; | 2003/06/05 |
| cpu) US-PGPUB; | 12:57 |
| EPO; JPO; | |
| DERWENT USBATT | 2003/06/05 |
| - 1059 manag\$6 adj logic USPAT; | 2003/06/05 |
| US-PGPUB; EPO; JPO; | 12.37 |
| DERWENT | |
| - 0 (auxilary near3 (device or processor or USPAT; | 2003/06/05 |
| cpu)) and (manag\$6 adj logic) US-PGPUB; | 12:58 |
| EPO; JPO; | |
| DERWENT | |
| - 1092 (auxilary near3 (device or processor or USPAT; | 2003/06/05 |
| cpu)) or (manag\$6 adj logic) US-PGPUB; | 12:58 |
| EPO; JPO; | |
| DERWENT | 1 |

| - | 601 | ACPI or advanced adjl configuration | USPAT; US-PGPUB; | 2003/06/05 |
|-----|-------|---|------------------------|------------|
| | | | EPO; JPO; | 15.00 |
| | | | DERWENT | |
| _ | 90726 | (BIOS or (basic adjl input nearl system)) | USPAT; | 2003/06/05 |
| | | | US-PGPUB; EPO; JPO; | 13:02 |
| | | | DERWENT | |
| i _ | 4118 | ((ACPI or advanced adjl configuration) | USPAT; | 2003/06/05 |
| | 1110 | or ((BIOS or (basic adj1 input near1 | US-PGPUB; | 13:30 |
| | | system)))) with information | EPO; JPO; | |
| | | | DERWENT | 2002/06/05 |
| - | 106 | ((auxilary near3 (device or processor or cpu)) or (manag\$6 adj logic)) and (((ACPI | USPAT; US-PGPUB; | 2003/06/05 |
| | | or advanced adj1 configuration) or | EPO; JPO; | 15.05 |
| | | ((BIOS or (basic adj1 input near1 | DERWENT | |
| | | system)))) with information) | | |
| - | 8 | (((auxilary near3 (device or processor or | USPAT; | 2003/06/05 |
| | | cpu)) or (manag\$6 adj logic)) and (((ACPI | US-PGPUB; EPO; JPO; | 13:17 |
| 1 | | or advanced adj1 configuration) or ((BIOS or (basic adj1 input near1 | DERWENT | |
| | | system)))) with information)) and | | |
| 1 | | (transfer\$5 or upload\$5 or transmit\$5 or | | · |
| | | send\$5) near5 (boot\$5 or boot\$3 adj1 time | | |
| | | or power adj1 on or run?time or (self | | |
| | 89 | near1 test\$3)) auxilary near3 (power or battery or | USPAT; | 2003/06/05 |
| - | 09 | device or subsystem or unit) | US-PGPUB; | 13:15 |
| | | dovido de rama javam de mana, | EPO; JPO; | |
| | | | DERWENT | |
| _ | 60 | | USPAT; | 2003/06/05 |
| ţ | | cpu)) or (manag\$6 adj logic)) and (((ACPI or advanced adj1 configuration)) or | US-PGPUB; EPO; JPO; | 13:40 |
| | | ((BIOS or (basic adj1 input near1 | DERWENT | • |
| | | system)))) with information)) and | | |
| | | (transfer\$5 or upload\$5 or transmit\$5 or | | |
| | | send\$5) near5 (boot\$5 or information or | | |
| | | boot\$3 adj1 time or power adj1 on or run?time or (self near1 test\$3)) | | |
| _ | 8170 | ((ACPI or advanced adj1 configuration) | USPAT; | 2003/06/05 |
| | | or ((BIOS or (basic adjl input nearl | US-PGPUB; | 15:22 |
| | ļ | system)))) with (code or data or | EPO; JPO; | |
| | 6040 | information) | DERWENT USPAT; | 2003/06/05 |
| - | 6243 | ((host or system or device) near2 specific) near5 (information or code or | US-PGPUB; | 13:39 |
| | | configuration) | EPO; JPO; | |
| | | | DERWENT | |
| - | 1148 | (manag\$6 adj logic) or (auxilary near3 | USPAT; | 2003/06/05 |
| 1 | | (power or battery or device or subsystem | US-PGPUB; EPO; JPO; | 15:25 |
| | | or unit)) | DERWENT | |
| _ | 228 | (((ACPI or advanced adj1 configuration) | USPAT; | 2003/06/05 |
| | | or ((BIOS or (basic adjl input nearl | US-PGPUB; | 13:41 |
| | | system)))) with (code or data or | EPO; JPO; | |
| | | information)) and (((host or system or | DERWENT | |
| | | <pre>device) near2 specific) near5 (information or code or configuration))</pre> | | |
| _ | _ 1 | ((((ACPI or advanced adj1 configuration) | USPAT; | 2003/06/05 |
| | * | or ((BIOS or (basic adj1 input near1 | US-PGPUB; | 13:41 |
| | | system)))) with (code or data or | EPO; JPO; | |
| 1 | | information)) and (((host or system or | DERWENT | |
| | | <pre>device) near2 specific) near5 (information or code or configuration)))</pre> | | |
| | 1 | and ((manag\$6 adj logic) or (auxilary | | |
| | | near3 (power or battery or device or | | |
| | | subsystem or unit))) | | |
| | | | | |

| - 14185 (((ACPI or advanced adj1 configuration) or ((BIOS or (basic adj1 input near1 system)))) with (code or data or information)) or (((host or system or device) near2 specific) near5 (information or code or configuration)) | |
|---|----------|
| system)))) with (code or data or information)) or (((host or system or device) near2 specific) near5 (information or code or configuration)) | |
| information)) or (((host or system or device) near2 specific) near5 (information or code or configuration)) | |
| device) near2 specific) near5 (information or code or configuration)) | |
| (information or code or configuration)) | |
| | |
| 228 ((((ACPI or advanced adil configuration)) USPAT; 2003/00 | 6/05 |
| | 5,05 |
| ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' ',' | |
| system)))) with (code or data or EPO; JPO; | |
| information)) and (((host or system or DERWENT | |
| device) near2 specific) near5 | |
| (information or code or configuration))) | |
| and ((((ACPI or advanced adj1 | |
| configuration) or ((BIOS or (basic adj1 | |
| input nearl system)))) with (code or data | |
| or information)) or (((host or system or | |
| device) near2 specific) near5 | |
| (information or code or configuration))) | |
| - 188 ((manag\$6 adj logic) or (auxilary near3 USPAT; 2003/00 | 6/05 |
| (power or battery or device or subsystem US-PGPUB; 15:57 | |
| or unit))) and ((((ACPI or advanced adj1 EPO; JPO; | |
| configuration) or ((BIOS or (basic adj1 DERWENT | |
| input near1 system)))) with (code or data | |
| or information)) or (((host or system or | |
| device) near2 specific) near5 | |
| (information or code or configuration))) | |
| - 110 (((manag\$6 adj logic) or (auxilary near3 USPAT; 2003/0 | 6/05 |
| (power or battery or device or subsystem US-PGPUB; 13:46 | ·, · · · |
| or unit))) and ((((ACPI or advanced adj1 EPO; JPO; | |
| configuration) or ((BIOS or (basic adj1 DERWENT | |
| input near1 system)))) with (code or data | |
| or information)) or (((host or system or | |
| device) near2 specific) near5 | |
| (information or code or configuration)))) | - |
| | |
| and (transfer\$5 or upload\$5 or transmit\$5 | |
| or send\$5) near5 (boot\$5 or information | |
| or code or boot\$3 adj1 time or power adj1 | • |
| on or run?time or (self near1 test\$3)) | C / O F |
| 2 ((((manag\$6 adj logic) or (auxilary near3 USPAT; 2003/0 | 6/05 |
| (power or battery or device or subsystem US-PGPUB; 15:05 | |
| or unit))) and ((((ACPI or advanced adj1 EPO; JPO; | |
| configuration) or ((BIOS or (basic adj1 DERWENT | |
| input near1 system)))) with (code or data | |
| or information)) or (((host or system or | |
| device) near2 specific) near5 | |
| (information or code or configuration)))) | |
| and (transfer\$5 or upload\$5 or transmit\$5 | |
| or send\$5) near5 (boot\$5 or information | |
| or code or boot\$3 adj1 time or power adj1 | |
| on or run?time or (self near1 test\$3))) | |
| and (transfer\$5 or upload\$5 or transmit\$5 | |
| | |
| or send\$5) near5 (druing or while prior | |
| or send\$5) near5 (druing or while prior or before) near5 (boot\$5 or boot\$3 adj1 | |
| | |

| | | | ` | 0000 106 105 |
|---------------|-------|--|-----------|--------------|
| - | 2 | ((((manag\$6 adj logic) or (auxilary near3 | USPAT; | 2003/06/05 |
| | | (power or battery or device or subsystem | US-PGPUB; | 15:15 |
| | | or unit))) and ((((ACPI or advanced adj1 | EPO; JPO; | |
| | | configuration) or ((BIOS or (basic adj1 | DERWENT | |
| | | input near1 system)))) with (code or data | | |
| | į. | or information)) or (((host or system or | | . 1 |
| | | device) near2 specific) near5 | | |
| | | (information or code or configuration)))) | | |
| | | and (transfer\$5 or upload\$5 or transmit\$5 | | [|
| | 1 | or send\$5) near5 (boot\$5 or information | | |
| | | or code or boot\$3 adj1 time or power adj1 | | 1 |
| i | i | on or run?time or (self near1 test\$3))) | | |
| | | and (transfer\$5 or upload\$5 or transmit\$5 | | |
| | | or send\$5) near5 (druing or while prior | | l i |
| | 1 | or before) near5 (boot\$5 or boot\$3 adj1 | | 1 |
| ł | | time or power adj1 on or run?time or | | |
| | | (self near1 test\$3 or power\$3)) | | |
| - | 8170 | ((ACPI or advanced adj1 configuration) | USPAT; | 2003/06/05 |
| | 1 1 | or ((BIOS or (basic adj1 input near1 | US-PGPUB; | 15:24 |
| | | system)))) with (code or data or | EPO; JPO; | |
| | | information) | DERWENT | / |
| - | 1148 | (manag\$6 adj logic) or (auxilary near3 | USPAT; | 2003/06/05 |
| | | (power or battery or device or subsystem | US-PGPUB; | 15:26 |
| | j | or unit)) | EPO; JPO; | . |
| | | | DERWENT | 0000 105 105 |
|] - | 161 | (((ACPI or advanced adj1 configuration) | USPAT; | 2003/06/05 |
| | | or ((BIOS or (basic adjl input nearl | US-PGPUB; | 15:26 |
| | | system)))) with (code or data or | EPO; JPO; | 1 |
| 1 | | information)) and ((manag\$6 adj logic) | DERWENT | • |
| | | or (auxilary near3 (power or battery or | | |
| | | device or subsystem or unit))) | MCDAM. | 2002/06/05 |
| _ | 4 | ((((ACPI or advanced adj1 configuration) | USPAT; | 2003/06/05 |
| ł | | or ((BIOS or (basic adjl input nearl | US-PGPUB; | 15:51 |
| | | system)))) with (code or data or | EPO; JPO; | |
| | | information) and ((manag\$6 adj logic) | DERWENT | |
| | | or (auxilary near3 (power or battery or | } | |
| | j | device or subsystem or unit)))) and | | · |
| | | (transfer\$5 or upload\$5 or transmit\$5 or | | |
| | | send\$5) with (prior or before) near5 | | |
| | | (boot or power\$3 or power adj1 on or | | |
| | | run?time or (self near1 test\$3) or start\$5 or initia\$7) | | |
| | 180 | 1 | USPAT; | 2003/06/05 |
| _ | 180 | ((managse adj logic) of (auxiliary hears | US-PGPUB; | 16:02 |
| | 1 | <pre>(power or battery or device or subsystem or unit))) and (((ACPI or advanced adj1</pre> | EPO; JPO; | 10.02 |
| | | configuration or ((BIOS or (basic ad)1 | DERWENT | |
| | | input near1 system)))) with (code or data | | |
| 1 | | or information)) or (((host or system or | | |
| | | device) near2 specific) near5 | | |
| | | (information or code or configuration))) | | |
| _ | 26899 | (transfer\$5 or upload\$5 or transmit\$5 or | USPAT; | 2003/06/06 |
| 1 | 20099 | send\$5) with (boot\$3 or boot adj1 time or | US-PGPUB; | 10:47 |
| | | power adj1 on or run?time or (self near) | EPO; JPO; | \ · · · · |
| | | test\$3 or POST or BIOS)) | DERWENT | |
| _ | 39 | | USPAT; | 2003/06/05 |
| | | separat\$5 or another or second) near3 | US-PGPUB; | 16:05 |
| | 1 | (power or battery or device or subsystem | EPO; JPO; | 1 |
| 1 | | or unit)) | DERWENT | 1 |
| - | 57 | 1 | USPAT; | 2003/06/05 |
| 1 | | (power or battery or device or subsystem | US-PGPUB; | 16:05 |
| | | or unit))) and (((ACPI or advanced adj1 | EPO; JPO; | |
| | 1 | configuration) or ((BIOS or (basic adj1 | DERWENT | |
| | | input near1 system)))) with (code or data | | |
| | | or information)) or (((host or system or | | |
| | | device) near2 specific) near5 | | |
| 1 | | (information or code or configuration))) | | |
| | |) and ((transfer\$5 or upload\$5 or | | |
| | | transmit\$5 or send\$5) with (boot\$3 or | | |
| | | boot adj1 time or power adj1 on or | | |
| | | run?time or (self near1 test\$3 or POST or | | |
| | | BIOS))) | | |
| to a constant | | | | |

| - | 5 | ((((manag\$6 adj logic) or (auxilary near3 | USPAT; | 2003/06/05 |
|----------|---------|---|-----------|------------|
| | | (power or battery or device or subsystem | US-PGPUB; | 17:12 |
| | | or unit))) and ((((ACPI or advanced adj1 | EPO; JPO; | |
| 1 | | configuration) or ((BIOS or (basic adj1 | DERWENT | |
| | | input nearl system)))) with (code or data | | |
| | | or information)) or (((host or system or | | |
| | | device) near2 specific) near5 | | |
| | | (information or code or configuration))) | | |
| | |) and ((transfer\$5 or upload\$5 or | | |
| | | transmit\$5 or send\$5) with (boot\$3 or | | |
| | | boot adjl time or power adjl on or | | |
| İ | i | run?time or (self near1 test\$3 or POST or | | |
| | | BIOS)))) and (transfer\$5 or upload\$5 or | | |
| | | transmit\$5 or send\$5) near5 (during near5 | | |
| | • | (boot\$3 or boot adj1 time or power adj1 | | |
| | | on or run?time or (self near1 test\$3 or | | |
| | _ | POST or BIOS))) | | 2002/05/05 |
| - | 5 | ((((manag\$6 adj logic) or (auxilary near3 | USPAT; | 2003/06/05 |
| | | (power or battery or device or subsystem | US-PGPUB; | 17:33 |
| | | or unit))) and ((((ACPI or advanced adj1 | EPO; JPO; | |
| | | configuration) or ((BIOS or (basic adj1 | DERWENT | |
| [| | <pre>input near1 system)))) with (code or data</pre> | | |
| | | or information)) or (((host or system or | | , |
| | | device) near2 specific) near5 | | |
| | | (information or code or configuration))) | | |
| <u> </u> | |) and ((transfer\$5 or upload\$5 or | | |
| | | transmit\$5 or send\$5) with (boot\$3 or | | |
| | | boot adj1 time or power adj1 on or | | |
| | | run?time or (self near1 test\$3 or POST or | | |
| | | BIOS)))) and (transfer\$5 or upload\$5 or | | |
| 1 | | transmit\$5 or send\$5) near5 (during near5 | | |
| | | (boot\$3 or boot adj1 time or power adj1 | | |
| | İ | on or run?time or (self near1 test\$3 or | | |
| | 14686 | POST or BIOS or power\$4))) (((device or computer or machine or host | USPAT; | 2003/06/05 |
| - | 14666 | or system or unit or subsystem) near2 | US-PGPUB; | 17:19 |
| | | specific) near5 (information or data or | EPO; JPO; | 17.13 |
| 1 | | configuration or code)) | DERWENT | - |
| _ | 1458846 | ((device or computer or machine or host | USPAT; | 2003/06/06 |
| | 1430040 | or system or unit or subsystem or BIOS or | US-PGPUB; | 10:37 |
| | | (manag\$6 near2 logic) or advanced adj1 | EPO; JPO; | |
| | | configuration) near5 (information or data | DERWENT | |
| | | or configuration or code)) | | |
| _ | 2233 | (((device or computer or machine or host | USPAT; | 2003/06/05 |
| | | or system or unit or subsystem or BIOS or | US-PGPUB; | 17:38 |
| | 1 | (manag\$6 near2 logic) or advanced adj1 | EPO; JPO; | |
| | | configuration) near5 (information or data | DERWENT | |
| | | or configuration or code))) and | | |
| | 1 | (transfer\$5 or upload\$5 or transmit\$5 or | | 1 |
| | | send\$5) near5 (during near5 (boot\$3 or | | |
| 1 | | boot adj1 time or power adj1 on or | | |
| 1 | | run?time or (self near1 test\$3 or POST or | ļ | |
| | | BIOS or power\$4))) | 1 | |
| - | 1832 | (((device or computer or machine or host | USPAT; | 2003/06/05 |
| | | or system or unit or subsystem or BIOS or | US-PGPUB; | 17:53 |
| | | (manag\$6 near2 logic) or advanced adj1 | EPO; JPO; | |
| | | configuration) near5 (information or data | DERWENT | |
| | | or configuration or code))) and | | |
| | | (transfer\$5 or upload\$5 or transmit\$5 or | | |
| | ł | send\$5) near5 (during near5 (boot\$3 or | | |
| | | boot adj1 time or power adj1 on or | | |
| 1 | | run?time or (self near1 test\$3 or POST or | | |
| | | BIOS or power\$4)))) and (transfer\$5 or | | |
| 1 | 1 | upload\$5 or transmit\$5 or send\$5) near5 | | |
| Į. | | | | |
| | | (code or information or data or bios or | | |

| | | | | 10000 105 105 |
|-----|-------------|---|-----------|---------------|
| - | 165 | ((((device or computer or machine or | USPAT; | 2003/06/05 |
| 1 | | host or system or unit or subsystem or | US-PGPUB; | 18:23 |
| | | BIOS or (manag\$6 near2 logic) or advanced | EPO; JPO; | İ |
| | | adj1 configuration) near5 (information or | DERWENT | l i |
| | | data or configuration or code))) and | | 1 |
| j | 1 | (transfer\$5 or upload\$5 or transmit\$5 or | | 1 |
| | | send\$5) near5 (during near5 (boot\$3 or | | ļ· 1 |
| | | boot adj1 time or power adj1 on or | | |
| | | run?time or (self near1 test\$3 or POST or | | |
| | | BIOS or power\$4)))) and (transfer\$5 or | | ļ <u> </u> |
| | | upload\$5 or transmit\$5 or send\$5) near5 | | |
| ! | | (code or information or data or bios or | | |
| | | attribute)) and (transfer\$5 or upload\$5 | | |
| | | or transmit\$5 or send\$5) near5 portion | | |
| | | near5 (code or information or data or | | |
| | | bios or attribute) | | |
| - | 0 | salad.xa and dlp | USPAT; | 2003/06/05 |
| | | _ | US-PGPUB; | 18:03 |
| | | | EPO; JPO; | |
| | | | DERWENT | |
| - | 0 | salad.xa | USPAT; | 2003/06/05 |
| | | · | US-PGPUB; | 18:02 |
| | | | EPO; JPO; | |
| | | · | DERWENT | |
| - | 0 | ("salad.xa").PN. | USPAT; | 2003/06/05 |
| | | • | US-PGPUB; | 18:02 |
| | | | EPO; JPO; | |
| | | | DERWENT | |
| _ | 1 | salad.xa. and dlp | USPAT; | 2003/06/05 |
| | | - | US-PGPUB; | 18:21 |
| | | | EPO; JPO; | |
| , , | 1 | | DERWENT | |
| _ | 65313 | (generat\$ or creat\$5) near3 address | USPAT; | 2003/06/05 |
| | | | US-PGPUB; | 18:24 |
| | | | EPO; JPO; | |
| | | | DERWENT | |
| - | 70345 | (generat\$ or creat\$5) near3 address | USPAT; | 2003/06/05 |
| | | | US-PGPUB; | 18:25 |
| | | | EPO; JPO; | 1 |
| | | | DERWENT | |
| - | 64 | | USPAT; | 2003/06/05 |
| | | host or system or unit or subsystem or | US-PGPUB; | 18:27 |
| | l | BIOS or (manag\$6 near2 logic) or advanced | EPO; JPO; | 1 |
| | | adj1 configuration) near5 (information or | DERWENT | |
| | | data or configuration or code))) and | | |
| | | (transfer\$5 or upload\$5 or transmit\$5 or | | |
| 1 | | send\$5) near5 (during near5 (boot\$3 or | 1 | 1 |
| 1 | | boot adj1 time or power adj1 on or | | |
| | | run?time or (self near1 test\$3 or POST or | | |
| 1 | | BIOS or power\$4)))) and (transfer\$5 or | | |
| 1 | | upload\$5 or transmit\$5 or send\$5) near5 | | |
| | | (code or information or data or bios or | | |
| 1 | | attribute)) and (transfer\$5 or upload\$5 | | |
| | | or transmit\$5 or send\$5) near5 portion | | |
| 1 | | near5 (code or information or data or | | |
| 1 | | bios or attribute)) and (transfer\$5 or | 1 | |
| 1 | | upload\$5 or transmit\$5 or send\$5) with | | |
| | | (device or uint or subsystem or host) | | |
| | | with (second or another or separat\$4 or | | |
| | | auxilary or connected or coupled) | | |
| - | 2580 | ((generat\$ or creat\$5) near3 address) | USPAT; | 2003/06/05 |
| | | same (hardware or physical) near2 address | US-PGPUB; | 18:27 |
| | | | EPO; JPO; | |
| | | | DERWENT | |
| - | 93 | (((generat\$ or creat\$5) near3 address) | USPAT; | 2003/06/05 |
| | | same (hardware or physical) near2 | US-PGPUB; | 19:10 |
| | 1 | address) same based near5 (hardware or | EPO; JPO; | |
| | 1 | physical) near2 address | DERWENT | |
| | | <u> </u> | | |

| - | 7 | ((((((device or computer or machine or | USPAT; | 2003/06/05 |
|-----|----|---|-----------|------------|
| | | host or system or unit or subsystem or | US-PGPUB; | 18:44 |
| | | BIOS or (manag\$6 near2 logic) or advanced | EPO; JPO; | |
| | | adj1 configuration) near5 (information or | DERWENT | |
| | • | data or configuration or code))) and | | |
| | | (transfer\$5 or upload\$5 or transmit\$5 or | | |
| | | send\$5) near5 (during near5 (boot\$3 or | | |
| 1 | | boot adj1 time or power adj1 on or | | |
| | | run?time or (self near1 test\$3 or POST or | | |
| | | BIOS or power\$4)))) and (transfer\$5 or | | |
| | | upload\$5 or transmit\$5 or send\$5) near5 | | 1 |
| ! ! | | (code or information or data or bios or | | |
| | | attribute)) and (transfer\$5 or upload\$5 | | |
| | | or transmit\$5 or send\$5) near5 portion | | |
| | | near5 (code or information or data or | | |
| | | bios or attribute)) and (transfer\$5 or | | |
| | | upload\$5 or transmit\$5 or send\$5) with | | |
| | | (device or uint or subsystem or host) | | 1 |
| | | with (second or another or separat\$4 or | | |
| | | auxilary or connected or coupled)) and | | |
| | | @ad<20011026 and (off?line or offline or | | |
| | | ????operational or power\$3 adj1 off) | _ | / |
| - | 62 | ((((((device or computer or machine or | USPAT; | 2003/06/05 |
| 1 | | host or system or unit or subsystem or | US-PGPUB; | 18:44 |
| | | BIOS or (manag\$6 near2 logic) or advanced | EPO; JPO; | |
| | | adj1 configuration) near5 (information or | DERWENT | |
| ļ | | data or configuration or code))) and | | |
| Ì | | (transfer\$5 or upload\$5 or transmit\$5 or | | |
| | | send\$5) near5 (during near5 (boot\$3 or | | |
| | | boot adj1 time or power adj1 on or | | |
| | | run?time or (self near1 test\$3 or POST or | | |
| | | BIOS or power\$4)))) and (transfer\$5 or | | |
| | ļ | upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or | | _ |
| | | attribute)) and (transfer\$5 or upload\$5 | | |
| | | or transmit\$5 or send\$5) near5 portion | | |
| | | near5 (code or information or data or | | |
| | 1 | bios or attribute)) and (transfer\$5 or | | - |
| | | upload\$5 or transmit\$5 or send\$5) with | | |
| | | (device or uint or subsystem or host) | | |
| | | with (second or another or separat\$4 or | | |
| | [| auxilary or connected or coupled)) and | | |
| | | Qad<20011026 | | |
| L | J | 1 (44 10011000 | L | <u></u> |

| S5 (((((((((((device or computer or machine or bost or system or unit or subbystem or or BIOS or managase nearz logic) in or advanced add1 configuration) nears (information or data or cost or uploads or transmits or sends) nears (during nears (boots) or boot add1 time or power add1 on or run?time or (self nearl tests) or POST or BIOS or powers4())) and (transfers or uploads or transmits or sends) nears (code or information or data or bloss of or transmits or sends) nears (code or information or data or bloss of or transmits or sends) nears (code or information or data or bloss of or transmits) or sends) nears (portion nears (code or information or data or bloss of or transmits) or sends) nears (portion nears (code or information or data or bloss or attribute) and (transfers) or uploads or transmits) or sends) with (device or unto r subsystem or host or system or unit or subsystem or BIOS or (manags) nears (information or data or configuration nears (information or data or configuration or code)) and mits or sends) nears (unting nears (boots) or sends) nears (unting nears (boots) or sends) nears (unting nears (boots) or boot add1 time or power add1 on or run?time or (self nearl tests) or POST or BIOS or powers4()))) and (transfers) or uploads5 or transmit5 or sends) nears (code or information or data or blos or uploads5 or transmit5 or sends) nears (code or information or data or blos or uploads5 or transmit5 or sends) nears (self nearl tests) or post or post or transmit5 or sends) nears (code or information or data or blos or post or transmit5 or sends) nears (boots or uploads5 or transmit5 or sends) nears (boots or upload5 or transmit5 or sends) nears (boots or upload5 or transmit5 or sends) nears (boots or upload5 or transmit5 or sends) nears (boots or upload5 or transmit5 or sends) nears (boots or upload5 or transmit5 or sends) nears (boots or upload5 or transmit5 or sends) nears (boots or upload5 or transmit5 or sends) nears (boots or upload5 or transmit5 or sends) nears (boots or upload5 or transmit5 o | | | , , , , , , , , , , , , , , , , , , , | *************************************** | 0000 106 106 |
|--|---|---------|--|---|---|
| ### BIOS or (manags6 near2 logic) or advanced adj1 configuration or code)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or both adj1 time of transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attribute) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 portion near5 (code or information or data or bios or attribute) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (transfer\$6 or upload\$5 or transmit\$5 or send\$5) with (transfer\$6 or upload\$6 or transmit\$6 or send\$5) with (transfer\$6 or upload\$6 or transmit\$6 or send\$5) with (transfer\$6 or upload\$6 or transmit\$6 or send\$6 near2 logic) or advanced adj1 configuration) near5 (information or data or configuration) near5 (information or data or or onfiguration) near5 (information or data or onfiguration) near5 (code or information or data or bios or attribute) and (transfer\$5 or upload\$5 or transmit\$6 or send\$5) near5 (code or information or data or bios or attribute) and (transfer\$5 or upload\$5 or transmit\$6 or send\$5) with (device or uint or subsystem or Bios or attribute) and (transfer\$5 or upload\$5 or transmit\$6 or send\$5) with (device or uint or subsystem or bost) with (device or uint or subsystem or bost) with (device or or information or data or bios or attribute) and (transfer\$5 or upload\$5 or transmit\$6 or send\$5) with (device or uint or subsystem or Bios or auxilary or connected or coupled)) and eadc20011026 and (off?1)in or offline or ????operational or power\$3 adj1 off) 1 (((deperat or creat\$5) near3 address) same (hardware or physical) near2 address) and (based near5 (hardware or physical) near2 address) and (based near5 (hardware or physical) near2 address) and (based near5 (hardware or physical) near2 address) and (based near5 (hardware or physical) near5 address) with server 1 (((device or computer or machine or host or system or unit or | - | 55 | (((((((device or computer or machine or | | |
| adjl configuration) nearS (information or data or configuration or code)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) nearS (during nearS (boot\$3 or boot adjl time or power\$4))) and (transfer\$5 or upload\$5 or transmit\$5 or supload\$5 or transmit\$5 or send\$5) nearS (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) nearS (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$7 or separat\$4 or auxiliary or connected or coupled) and ended color of auxiliary or connected or coupled) and ended color of auxiliary or connected or coupled) and ended color of mearS (information or data or bios or attribute) and (transfer\$6 or upload\$5 or transmit\$5 or send\$5) nearS (during near\$ (code or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near\$ loqic) or advanced adjl configuration) near\$ (soft mean\$ (firansfer\$5 or upload\$5 or transmit\$5 or send\$5) near\$ (during near\$ (boot\$3 or boot adjl time or power adjl on or run?time or (self nearl text\$3 or POST or BIOS or power\$4())) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near\$ (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near\$ (attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (device or unit or subsystem or host or transmit\$5 or creat\$5) near\$ (bardware or physical) near\$ address) same (hardware or physical) near\$ address) with (second or another or separat\$4 or physical) near\$ (information or data or physical) near\$ address) and hosed near\$ (hardware or physical) near\$ address with second or creat\$5) near\$ address or boot or physical) near\$ address and hosed near\$ (hardware or physical) near\$ address with second or creat\$5 or creat\$5 (bardware or physical) near\$ (information or data or configuration or code) configuration or code) configuration or data or configuration or data or configuration or data or configuration or data or configuration or data or config | | | host or system or unit or subsystem or | | 10:52 |
| data or configuration or code)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near\$ (during near\$ (boot\$3 or boot adj1 time or power adj1 on or run'time or (self near! test\$3 or BOST or BD03ed\$5 or transmit\$5 or send\$5) near\$ (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near\$ portion near\$ (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (device or uint or subsystem or host) with (second or another or separat\$4 or another or separat\$4 or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near\$1 (oqie or advanced adj1 configuration) near\$ (information or data or configuration) near\$ (information or data or configuration) near\$ (information or data or configuration) near\$ (furing hear\$1 (boot\$3 or BIOS or power\$4]))) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near\$ (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near\$ (code or information or data or bios or attribute)) and (transfer\$5 or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near\$ (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near\$ (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near\$ (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near\$ (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near\$ (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near\$ (code or information or ontat or computer or machine or host) (device or uint or subsystem or nost) (device or computer or machine or host or system or unit or subsystem or BIOS or physical) near\$ (information or code) (information or code) (information or data or configuration or or informati | | | BIOS or (manags near logic) of advanced | | |
| (transfer\$5 or upload\$5 or transmit\$5 or send\$5) nears (during near\$ (boot\$3 or boot adj1 time or power adj1 on or run*time or (self near) test\$3 or POST or BIOS or power\$4(1))) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near\$ (code or information or data or bios or attribute) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near\$ (device or uint or subsystem or host) with (second or another or separat\$4 or auxilary or connected or coupled)) and (Bad<20011026) net ((((((device or coupled)) and (Bad<20011026) net ((((((device or coupled)) and (Bad<20011026) net ((((((device or coupled)) and (Gransfer\$5 or upload\$5 or transmit\$5 or send\$5) near\$ (code or information or data or configuration) near\$ (information or data or configuration or ead\$1) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near\$ (boot\$3 or send\$5) near\$ (during near\$ (boot\$3 or send\$5) near\$ (during near\$ (boot\$3 or upload\$5 or transmit\$5 or send\$5) near\$ (upload\$5 or transmit\$5 or send\$5) near\$ (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near\$ (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near\$ (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near\$ (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near\$ (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near\$ (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near\$ (upload\$5 | | | adji configuration nears (information of | DEKMENI | |
| boot adjl time or power adjl on or runtime or (self near tests) or ploads or sends) nears (code or information or data or bios or attribute) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) nears (self near tests) or upload\$5 or transmit\$5 or send\$5) mears portion attribute) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) mears portion attribute) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (device or uint or subsystem or host) with (second or another or separat\$4 or auxilary or connected or coupled) and (edc20011026) not (((((((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adjl configuration near5 (information or data or configuration) near5 (information or data or configuration or code)) and (information or data or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or send\$5) near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attribute) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (information or data or or physical) near2 address) and based near5 (hardware or physical) near2 address) with server 1 ((((generat\$ or creat\$5) near3 address) upload\$5 or transmit\$5 or creat\$5) near2 address) upload\$6 or transmit\$6 or creat\$5 (information or data or configuration or | | | data or configuration of code; ; and /thoughton or unloades or transmites or | | |
| boot adj1 time or power adj1 no or run/time or (self nearl test\$3 or POST or BIOS or power\$4)))) and (transfer\$5 or upload\$5 or transmit55 or send\$5) heat5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit55 or send\$5) with (device or unit or subsystem or host) with (second or another or separat\$4 or auxilary or connected or coupled)) and @ad<20011026) not ((((((((((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or transmit55 or send\$5) near5 (code or information or data or configuration or code))) and (transfer\$5 or upload\$5 or transmit55 or send\$5) near5 (during near5 (boot33 or send\$5) near5 (during near5 (boot33 or send\$5) near5 (during near5 (boot33 or boot adj1 time or power adj1 on or run7time or (self near1 test\$3 or POST or BIOS or power\$4)))) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attransmit\$5 or send\$5) near5 portion near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (device or unit or subsystem or host) with (second or send\$5) near5 portion near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (device or unit or subsystem or host) with (second or send\$5) near5 portion near5 (code or information or data or bios or attribute) and transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (device or unit or subsystem or host) with (second or send\$5) near5 (bardware or physical) near2 address) same based near5 (hardware or physical) near2 address) same hased near5 (hardware or physical) near2 address same hased near5 (hardware or physical) near2 address same hased near5 (hardware or physical) near2 address same hased near5 (hardware or physical) near2 address same hased near5 (hardware or physical) near2 address same hased near5 (hardware or physical) near2 address same hased near5 (hardware or physical) configuration or code) | | | (transfers) of uploads of transmitted of | | |
| Rimon | | | | | |
| BIOS or power\$4])) and (transfer\$5 or upload\$5 or transmit55 or send\$5) near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit55 or send\$5) near5 portion near5 (code or information or data or bios or attribute) and (transfer\$5 or upload\$5 or transmit55 or send\$5) with (device or unit or separat\$4 or auxiliary or connected or coupled) and dad<2001026) not (((((((device or computer) and dead<2001026) not (((((((device or computer) and dead<2001026) not (((((((device or computer) and dead<2001026) not or advanced adj1 configuration) near5 (information or data or configuration) near5 (information or data or configuration) near5 (information or data or configuration) near5 (information or data or configuration) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (buting near5 (boot\$3 or boot adj1 time or power adj1 on or run?time or (self near1 test\$3 or POST or BIOS or power\$4)))) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (upload\$5 or transmit\$5 or transmit\$5 or transmit\$5 or transmit\$5 or transmit\$5 or transmit\$ | | | run2time or /self near1 test\$3 or POST or | | |
| upload55 or transmits5 or send\$5) near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload55 or transmit55 or send\$5) near5 portion near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit55 or send\$5) with (device or unit or subsystem or host) with (second or another or separat\$4 or auxilary or connected or coupled)) and (Bad<20011026) not ((((((((device or computer) and or computer) and (transfer\$6) or unit or subsystem or bost or system or unit or subsystem or bost or system or unit or subsystem or bost or system or unit or subsystem or bost or system or unit or subsystem or bost or system or unit or subsystem or bost or system or unit or code)) and (transfer\$6 or upload\$5 or transmit\$5 or send\$5) near5 (during near5 (boot\$3 or boot adjl time or power adjl on or run?time or (self near1 test\$3 or Poot or BIOS or power\$4(1)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (device or unit or subsystem or host or yellow of the power\$3 adjl off)) ((((generat\$ or creat\$5) near3 address) and (based near5 (hardware or physical) near2 address) same (hardware or physical) near2 address) same (hardware or physical) near2 address) same (hardware or physical) near2 address) same (hardware or physical) near2 address) same (hardware or physical) near2 address) same (hardware or physical) near2 address) same (hardware or physical) near2 address) same (hardware or physical) near2 address) same (hardware or physical) near2 address) same (hardware or physical) near2 address) same (hardware or physical) near2 address) same (hardware or physical) near2 address) same (hardware or physical) near2 address) same (hardware or physical) near2 address) same (hardware or physical) near2 address) same (hardware or physical) near2 address) sa | | | | | |
| (code or information or data or bios or attribute) and (transfers5 or uploads5 or transmit\$5 or send\$5) near5 portion near5 (code or information or data or bios or attribute)) and (transfer\$5 or uploads5 or transmit\$5 or send\$5) with (device or uint or subsystem or host) with (second or another or separat\$4 or auxilary or connected or coupled)) and (Bad<20011026) not ((((((((device or or or or or or or or or or or or or | | | | | |
| attribute) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) hear\$ portion near\$ (code or information or data or bios or attribute) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (device or unit or subsystem or host) with (second or another or separat\$4 or auxilary or connected or coupled) and @ad<2001026) not (((((((device or computer)) and @ad<2001026) not ((((((((device or computer)) and @ad<2001026) not advanced adj) and ((transfer\$5 or upload\$5 or transmit\$5 or send\$5) near\$ ((code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near\$ ((code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near\$ (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near\$ or upload\$5 or transmit\$5 or send\$5) near\$ ((code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with ((device or uint or subsystem or host or upload\$5 or transmit\$5 or send\$5) mear\$ (((((generat\$ or creat\$5) near\$ address) sum ((((generat\$ or creat\$5) near\$ address) uspectual near\$ ((((generat\$ or creat\$5) near\$ address) uspectual near\$ (((((generat\$ or creat\$5) near\$ address) uspectual near\$ ((((((((((((((((((((((((((((((((((((| | ļ | | | |
| or transmit\$5 or send\$5) near5 portion near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (device or uint or subsystem or host) with (second or another or separat\$4 or auxilary or connected or coupled)) and (Bad<20011026) not (((((((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (during near3 (Boot\$3 or boot adj1 time or power (Boot\$3 or power\$4(1))) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or power\$4(1))) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attribute) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (device or uint or subsystem or host) with (second or another or separat\$4 or auxilary or connected or coupled) and @ad<20011026 and (off?line or offline or ?????operational or power\$3 adj1 off)) 1 ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same dosed near5 (hardware or physical) near2 address) and (based near5 (hardware or physical) near2 address) with server 1 (((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same hased near5 (hardware or physical) near2 address) and based near5 (bardware or physical) near2 address with server 1 (((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or data or or onfiguration or code)) ((device or computer or machine or host or system or unit or subsystem or BIOS or (BRWENT 1459447 (device or computer or machine or host or system or unit or subsystem or BIOS or (BRWEN | | | | | i i |
| near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (device or unit or subsystem or host) with (second or another or separat\$4 or auxilary or connected or coupled)) and gad<20011026) not ((((((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (during near5 (boot\$3 or boot adj1 time or power adj1 on or run?time or (self near1 test\$3 or POST or BIOS or power\$41))) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attribute) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attribute) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attribute) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attribute) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or or upload\$5 or transmit\$5 or send\$5) near5 (code or information or or compled) and (code or information or or suplead) and code or information or or code) (code or information or suplead) and code or information or code) (upload\$5 or transmit\$5 or send\$5) near5 (code or information or code)) (upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bots or system or unit or subsystem or not upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or configuration or code) (upload\$5 or transmit\$5 or send\$5) near5 (code or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code) (upload\$6 configuration or data or configuration or data or configuration or data or configuration or data or configuration or data or co | | | or transmit\$5 or send\$5) near5 portion | | |
| uploads5 or transmit\$5 or send\$5) with (device or uint or subsystem or host) with (second or another or separat\$4 or auxilary or connected or coupled) and @adc20011026) not ((((((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adj1 configuration para5 (information or data or configuration or code)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (during near5 (boto\$3 or boot adj1 time or power adj1 on or run7time or (self near1 test\$3 or POST or BIOS or power\$4)))) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attribute) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (device or uint or subsystem or host) with (second or another or separat\$4 or auxilary or connected or coupled)) and @adc20011026 and (off?line or offline or ????operational or power\$3 adj1 off!) 1 ((((generat5 or creat\$5) near3 address) | | | | | |
| (device or uint or subsystem or host) with (second or another or separats4 or auxilary or connected or coupled)) and (dead-20011026) not ((((((device or computer or machine or host or system or unit or subsystem or BIOS or (manags6 near2 logic) or advanced adj1 configuration or code)) and (transfers5 or uploads5 or transmits5 or send\$5) near5 (during near5 (boot\$3 or boot adj1 time or power adj1 on or run?time or (self near1 test\$3 or POST or BIOS or power\$4))) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 ((code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 ((code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with ((device or uint or subsystem or host) with (second or another or separat\$4 or auxilary or connected or coupled)) and (ead-20011026 and (off?line or offline or ????poperational or power\$3 adj1 off)) - 1 ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) with server - 1 ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same (hardware or physical) near2 address) with server - 1 ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same (hardware or physical) near2 address) same (hardware or physical) near2 address) with server - 1 (((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code)) - 1 (((device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code)) - 1 (((device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code)) - 1 ((control\$5 or manag\$6) near5 host) with remotely | | | bios or attribute)) and (transfer\$5 or | | |
| with (second or another or separat34 or auxilary or connected or coupled) and eadc20011026) not ((((((device or computer or machine or host or system or unit or subsystem or BIOS or (manag36 near2 logic) or advanced adj1 configuration) near5 (information or data or configuration or code)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (during near5 (botot\$3 or boot adj1 time or power adj1 on or run?time or (self near1 test\$3 or POST or BIOS or power\$4)))) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (device or uint or subsystem or host) with (second or another or separat\$4 or auxilary or connected or coupled)) and dac20011026 and (off?line or offline or ?????operational or power\$3 adj1 off)) [((((derierat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same (hardware or physical) near2 address) with server [((((((derierat\$ or creat\$5) near3 address) with server ((((((deriec or computer or machine or host or system or unit or subsystem or BIOS or system or unit or subsystem or BIOS or or system or unit or subsystem or BIOS or or system or unit or subsystem or DERWENT - 1459447 (((device or computer or machine or host or system or unit or subsystem) near5 (DERWENT ((device or computer or machine or host or system or unit or subsystem) near5 (DERWENT ((device or computer or machine or host or system or unit or subsystem) near5 (DERWENT ((device or computer or machine or host or system or unit or subsystem) near5 (DERWENT ((device or computer or machine or host or system or unit or subsystem) near5 (DERWENT ((device or computer or or machine or host or system or unit or subsystem) near5 (DERWENT ((device or computer or or or or or or or or or or or or or | | | | | |
| auxilary or connected or coupled) and ead20011026) not ((((((device or computer or machine or host or system or unit or subsystem or BIOS or (manag86 near2 logic) or advanced adj1 configuration or code)) and (transfers5 or upload55 or transmit55 or send\$5) near5 (during near5 (hoot\$3 or boot adj1 time or power adj1 on or run?time or (self near1 test\$3 or POST or BIOS or power\$4)))) and (transfer\$5 or upload\$5 or transmit55 or send\$5) near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (device or uint or subsystem or host) with (second or another or separat\$4 or auxilary or connected or coupled)) and ead20011026 and (off?line or 7????operational or power\$3 adj1 off)) 1 (((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same (hardware or physical) near2 address) with server 1 ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) with server 1 ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) with server 1 (((((enerat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) with server 1 (((((enerat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) with server 1 (((((enerat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) with server 1 ((((evice or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near5 (hardware or physical) near2 address with server 1 (((evice or computer or machine or host or system or unit or subsystem) near5 (pop) (| | | | | |
| Gadc20011026) not (((((((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adj1 configuration) near5 ((information or data or configuration or code)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (during near5 (botot\$3 or boot adj1 time or power adj1 on or run?time or (self near1 test\$3 or POST or BIOS or power\$4)))) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (device or uint or subsystem or host) with (sevice or uint or subsystem or host) with (sevice or uint or subsystem or host) with (sevice or uint or subsystem or filine or ?????operational or power\$3 adj1 off)) 1 (((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) with server 1 (((generat\$ or creat\$5) near3 address) with server 1 (((device or creat\$5) near3 address) with server 1 (((device or creat\$5) near3 address) same (hardware or physical) near2 address with server 1 ((device or computer or machine or host or system or unit or subsystem or BIOS or uspar; 2003/06/05 uspar; 2003/06/05 uspar; 2003/06/06 uspa | | | | | |
| computer or machine or host or system or unit or subsystem or BIOS or (manags6 near2 logic) or advanced adj1 configuration or code)) and (transfers5 or uploads5 or transmit5 or sends5) near5 (during near5 (boot\$3 or boot adj1 time or power adj1 on or run?time or (self near1 test\$3 or POST or BIOS or power\$4))) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) mear5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (device or uint or subsystem or host) with (second or another or separat\$4 or auxilary or connected or coupled)) and dead<20011026 and (off?line or off?line or ?????operational or power\$3 adj1 off)) [((((generat\$ or creat\$5) near3 address)) same (hardware or physical) near2 address) same hased near5 (hardware or physical) near2 address) with server [(((((generat\$ or creat\$5) near3 address)) same (hardware or physical) near2 address) with server [((((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code)) - 1458846 ((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code) - 1459447 ((device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code)) - 1459447 ((device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code)) - 145947 ((device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code)) - 1595 ((control\$5 or manag\$6) near5 host) with (SPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPA | | | | | |
| unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adj1 configuration) near5 (information or data or configuration or code)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (during near5 (boot\$3 or boot adj1 time or power adj1 on or runrtime or (self near1 test\$3 or POST or BIOS or power\$4))) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 portion near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (device or uint or subsystem or host) with (second or another or separat\$4 or auxilary or connected or coupled)) and @ad<2001026 and (off?line or offline or ????operational or power\$3 adj1 off)) ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address) with server 1 ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address) same (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address) same based near5 (hardware or physical) configuration or code) ((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or information or data or configuration or code)) ((device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or information or data or configuration or code)) ((device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near5 host) with remotely | | | | | |
| near2 logic) or advanced adj1 configuration or code)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (during near5 (boot\$3 or boot adj1 time or power adj1 on or run7time or (self near1 test\$3 or POST or BIOS or power\$4))) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 portion near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 portion near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (device or uint or subsystem or host) with (second or another or separat\$4 or auxilary or connected or coupled) and @ad<20011026 and (off?line or offline or ????operational or power\$3 adj1 off]) [(((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) with server [(((generat\$ or creat\$5) near3 address) with server [(((generat\$ or creat\$5) near3 address) with server [(((generat\$ or creat\$5) near3 address) with server [(((generat\$ or creat\$5) near3 address) with server [(((generat\$ or creat\$5) near3 address) with server [(((generat\$ or creat\$5) near3 address) with server [(((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adj1 configuration) near5 (information or data or configuration) near5 (information or data or configuration) near5 (information or data or configuration) or subsystem) near5 [BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code)] [Codevice or computer or machine or host or system or unit or subsystem) near5 [BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code)] [Codevice or computer or machine or host or system or unit or subsystem) near5 [BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code)] [Codevice or computer or machine or host or system or unit or subsystem) near5 [BIOS or (manag\$6 near5 host) with proporti | | | | | |
| configuration) near5 (information or data or configuration or code)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (during near5 (boot\$3 or boot adj1 time or power adj1 on or runrtime or (self near1 test\$3 or POST or BIOS or power\$4))) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 portion near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (device or uint or subsystem or host) with (second or another or separat\$4 or auxilary or connected or coupled)) and (ead<2001026 and (off?line or offline or ????operational or power\$3 adj1 off)) - 1 (((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address) with server - 1 ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address) same hased near5 (hardware or physical) near2 address) same based near5 (ha | | | | | |
| or configuration or code)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (during near5 (boot\$3 or boot adjl time or power adjl on or run?time or (self nearl test\$3 or POST or BIOS or power\$4)))) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attribute) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 portion near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (device or uint or subsystem or host) with (second or another or separat\$4 or auxilary or connected or coupled)) and (ead<20011026 and (off?line or offline or ?????operational or power\$3 adjl offl)) [(((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same (hardware or physical) near2 address) with server [(((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) with server [(((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) with server [(((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address with server [(((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adjl configuration or code)) [1459447] [1459447] [159447] [160] [17] [18] | | | 1 | | |
| (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (during near5 (boot\$3 or boot adjl time or power adjl on or run?time or (self near1 test\$3 or POST or BIOS or power\$4))) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 portion near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (device or uint or subsystem or host) with (second or another or separat\$4 or auxilary or connected or coupled)) and @ad<20011026 and (off?line or offline or ????operational or power\$3 adjl off)) 1 ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address) with server 1 ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) with server 1 ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) with server 1 ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) with server 1 (((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adjl configuration or configuration or configuration or configuration or data or configuration or or or or or system or unit or subsystem) near5 (hardware or physical) near5 (hardware or physical) near2 address with server 1 ((device or computer or machine or host or system or unit or subsystem or machine or host or system or unit or subsystem) near5 (berwent or specific propersion) near5 (information or data or configuration or information or d | | | | | |
| send\$\$\(\text{ near5}\) (during near5\) (boot\$3\) or boot adjl time or power adjl on or run?time or (self nearl test\$3\) or POST or BIOS or power\$\(\) \text{ nujload\$5}\) or transmit\$5\) or send\$\(\) near5\) (code or information or data or bios or attribute)\) and (transfer\$5\) or upload\$5\) or transmit\$5\) or send\$\(\) near5\) portion near5\(\) (code or information or data or bios or attribute)\) and (transfer\$5\) or upload\$\(\) or transmit\$5\) or send\$\(\) near5\) portion near5\(\) (code or information or data or bios or attribute)\) and (transfer\$5\) or upload\$\(\) or transmit\$5\) or send\$\(\) in or phios or attribute)\) and (transfer\$5\) or upload\$\(\) or transmit\$\(\) or subsystem or host\) with (second or another or separat\$\(\) or auxilary or connected or coupled)\) and (ead<20011026\) and (off?line or offline or ?????operational or power\$\(\) address\) same (hardware or physical)\(\) near2 address\) same (hardware or physical)\(\) near2 address\) with server - 1 ((((generat\$\(\) or creat\$5\) near3\(\) address\) with server - 1 ((((generat\$\(\) or creat\$5\) near3\(\) address\) with server - 1 ((((generat\$\(\) or creat\$5\) near3\(\) address\) with server - 1 ((((generat\$\(\) or creat\$5\) near3\(\) address\) with server - 1 ((((generat\$\(\) or creat\$5\) near3\(\) address\) with server - 1 ((((generat\$\(\) or creat\$5\) near3\(\) address\) with server - 1 ((((evice or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6\) near2\(\) address\) and based near5\(\) (LSPAT; US-PCPUB; EPO; JPO; DERWENT - 1458466 - 1 (((control\$5\) or manag\$6\) near5\(\) near5\(\) or davanced adjl configuration or code) - 1 (((control\$5\) or manag\$6\) near5\(\) near5\(\) or davanced adjl configuration or code) - 1 ((control\$5\) or manag\$6\) near5\(\) near5\(\) or davanced adjl configuration or code) - 1 ((control\$5\) or manag\$6\) near5\(\) near5\(\) or davanced adjl configuration or code) - 1 ((control\$5\) or manag\$6\) near5\(\) near5\(\) or davanced adjl configurat | | | | | |
| boot adj1 time or power adj1 on or run?time or (self near1 test\$3 or POST or BIOS or power\$4)))) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 portion near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (device or uint or subsystem or host) with (second or another or separat\$4 or auxilary or connected or coupled)) and (@ad<20011026 and (off?line or offline or ????operational or power\$3 adj1 off!) 1 ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same (hardware or physical) near2 address) with server ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) with server ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address with server (((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adj1 configuration) near5 (information or data or configuration) near5 (information or data or configuration) near5 (information or data or configuration or code)) 1459447 ((device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code)) 358 ((control\$5 or manag\$6) near5 host) with remotely | | | | | |
| run?time or (self nearl test\$3 or POST or BIOS or power\$4\))) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 portion near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5\) with (device or uint or subsystem or host) with (second or another or separat\$4 or auxilary or connected or coupled)) and (@ad<20011026 and (off?line or offline or ?????operational or power\$3 adjl off)) 1 ((((generat\$ or creat\$5\) near3 address) same (hardware or physical) near2 address) with server 1 ((((generat\$ or creat\$5\) near3 address) with server 1 ((((generat\$ or creat\$5\) near3 address) with server 1 ((((generat\$ or creat\$5\) near3 address) same (hardware or physical) near2 address) with server 1 1((((generat\$ or creat\$5\) near3 address) same (hardware or physical) near2 address) with server 1 1458846 ((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adjl configuration) near5 (information or data or configuration) near5 (information or data or or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adjl configuration or or or or or or or or or or or or or | | | | | |
| BIOS or power\$4)))) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) neat5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) neat5 portion neat5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (device or uint or subsystem or host) with (second or another or separat\$4 or auxilary or connected or coupled)) and @ad<20011026 and (off?1)ine or offline or ????operational or power\$3 adj1 off() ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same (hardware or physical) near2 address) with server (((((generat\$ or creat\$5) near3 address) same (((((generat\$ or creat\$5) near3 address) same (((((generat\$ or creat\$5) near3 address) same (((((generat\$ or creat\$5) near3 address) same ((((((generat\$ or creat\$5) near3 address) same ((((((generat\$ or creat\$5) near3 address) same (((((((generat\$ or creat\$5) near3 address) same ((((((((((((((((((((((((((((((((((((| | | | | |
| (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 portion near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (device or uint or subsystem or host) with (second or another or separat\$4 or auxilary or connected or coupled)) and (ead<00011026 and (off?line or offline or ????operational or power\$3 adj1 off)) 1 ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address) with server 1 ((((generat\$ or creat\$5) near3 address) same ((((generat\$ or creat\$5) near3 address) same ((((generat\$ or creat\$5) near5) address) same ((((generat\$ or creat\$5) near5) address) same ((((generat\$ or creat\$5) near5) address) same ((((generat\$ or creat\$5) near5) address) same ((((generat\$ or creat\$5) near5) address) same (((((generat\$ or creat\$5) near5) address) same ((((((generat\$ or creat\$5) near5) address) same (((((((generat\$ or creat\$5) near5) address) same ((((((((((((((((((((((((((((((((((((| | | | | |
| attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) near5 portion near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (device or uint or subsystem or host) with (second or another or separat\$4 or auxilary or connected or coupled)) and (ead<20011026 and (off?line or offline or ?????operational or power\$3 adjl off)) 1 ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address) with server 1 (((generat\$ or creat\$5) near3 address) with server ((((generat\$ or creat\$5) near3 address) with server ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same (hardware or physical) near2 address) same (hardware or physical) near2 address with server (((devical) near2 address) and based near5 (hardware or physical) near2 address with server (((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adjl configuration or code)) (((device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adjl configuration or code)) (((device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adjl configuration or information or data or configuration or code)) 1459447 ((device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adjl configuration or code)) ((device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near5) (bardware or prophysical) near5 (bardware or prophysical) near5 (bardware or prophysical) near5 (bardware or prophysical) near5 (bardware or prophysical) near5 (bardware or prophysical) near5 (bardware or prophysical) near5 (bardware or prophysical) near5 (bardware or prophysical) near5 (bardware or prophysical) near5 (bardware or prophysical) near5 (bardware or prophys | | 1 | | | |
| or transmit\$ or send\$\$) near5 portion near5 (code or information or data or bios or attribute)) and (transfer\$\$ or upload\$\$ or transmit\$\$ or send\$\$) with (device or uint or subsystem or host) with (second or another or separat\$4 or auxilary or connected or coupled)) and @ad<20011026 and (offfline or offline or ????operational or power\$3 adj1 off)) 1 ((((generat\$ or creat\$\$) near3 address) same (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address) with server 1 ((((generat\$ or creat\$\$\$) near3 address) same (hardware or physical) near2 address) with server (((generat\$ or creat\$\$\$) near3 address) same (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address with server ((device or computer or machine or host or system or unit or subsystem or Blos or (manag\$6 near2 logic) or advanced adj1 configuration) near5 (information or data or configuration or code)) ((device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or information or data or configuration or code)) ((control\$5 or manag\$6) near5 host) with remotely or transmit\$5 or send\$5 in the portion or data or configuration or code) USPAT; US-PGPUB; EPO; JPO; DERWENT 2003/06/06 10:41 EPO; JPO; DERWENT 2003/06/06 10:41 EPO; JPO; DERWENT 2003/06/06 10:44 EPO; JPO; DERWENT 2003/06/06 10:44 EPO; JPO; DERWENT 2003/06/06 10:45 | | | | |] |
| near5 (code or information or data or bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (device or uint or subsystem or host) with (second or another or separat\$4 or auxilary or connected or coupled)) and @ad<20011026 and (off?line or offline or ????operational or power\$3 adj1 off)) 1 ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address) with server 1 ((((generat\$ or creat\$5) near3 address) with server 1 ((((generat\$ or creat\$5) near3 address) beame (hardware or physical) near2 address) with server 2 ((((generat\$ or creat\$5) near3 address) beame (hardware or physical) near2 address) and based near5 (hardware or physical) near2 address) beame (hardware or physical) near2 address) and based near5 (hardware or physical) near2 address) beame (hardware or physical) near2 address with server 1 (((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code)) ((device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or information or data or configuration or information or data or configuration or information or data or configuration or information or data or configuration or code)) ((control\$5 or manag\$6) near5 host) with remotely (configuration or dots) (control\$5 or manag\$6) near5 host) with remotely (configuration or dots) (configuration or code)) (control\$5 or manag\$6) near5 host) with proposed (configuration or code) (configuration or code)) (control\$5 or manag\$6) near5 host) with proposed (configuration or code) (configuration or code) (configuration or code) (configuration or code) (configuration or code) (configuration or code) (configuration or code) (configuration or code) (configuration or code) (configuration or code) (configuration or code) (configuration or code) (configuration or code) (configuration or code) (configuration or c | | | | | |
| bios or attribute)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (device or uint or subsystem or host) with (second or another or separat\$4 or auxilary or connected or coupled)) and (ad<20011026 and (off?line or offline or ????operational or power\$3 adjl off)) ((((generat\$ or creat\$5) near\$3 address) same (hardware or physical) near2 address) same (hardware or physical) near2 address) with server ((((generat\$ or creat\$5) near\$ address) same (hardware or physical) near\$2 address) same (hardware or physical) near\$2 address) same (hardware or physical) near\$2 address) same (hardware or physical) near\$2 address) same (hardware or physical) near\$2 address) same (hardware or physical) near\$2 address with server (((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near\$2 logic) or advanced adjl configuration or code)) ((device or computer or machine or host or system or unit or subsystem) near\$5 (BIOS or (manag\$6 near\$2 logic) or advanced adjl configuration or information or data or configuration or information or data or configuration or information or data or configuration or information or data or configuration or information or data or configuration or code)) ((control\$5 or manag\$6) near5 host) with remotely biosoficial near subsystem or bots or system or unit or subsystem) near\$5 (BIOS or (manag\$6 near\$1 (pic) or advanced adjl configuration or information or data or configuration or information or data or configuration or information or data or configuration or information or data or configuration or information or data or configuration or information or data or configuration or code)) ((control\$5 or manag\$6) near5 host) with remotely | | ļ | | | |
| upload\$5 or transmit\$5 or send\$5) with (device or uint or subsystem or host) with (second or another or separat\$4 or auxilary or connected or coupled)) and @ad<20011026 and (off?line or offline or ????operational or power\$3 adj1 off)) ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address) with server 1 ((((generat\$ or creat\$5) near3 address) with server ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address) same (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address with server (((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code)) (((device or computer or machine or host or configuration or code)) (((device or computer or machine or host or or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or information or data or configuration or code)) (((control\$5 or manag\$6) near5 host) with remotely uppar; 2003/06/05 USPAT; USPAT; USPAT; USPOPUB; EPO; JPO; DERWENT 2003/06/06 USPAT; U | | | · · | | |
| (device or uint or subsystem or host) with (second or another or separat\$4 or auxilary or connected or coupled)) and @ad<20011026 and (off?line or offline or ???operational or power\$3 adj1 off)) (((generat\$ or creat\$5) near3 address) uspAT; uspPGPUB; address) same based near5 (hardware or physical) near2 address) uspPGPUB; address uspPGPUB; address) uspPGPUB; address uspPGPUB; addre | | | | | - |
| with (second or another or separat\$4 or auxilary or connected or coupled)) and @ad<20011026 and (off?line or offline or ????operational or power\$3 adj1 off)) ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address) with server ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address) with server ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address with server (((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adj1 configuration) near5 (information or data or configuration or code)) ((device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or information or data or configuration or code)) 1459447 358 ((control\$5 or manag\$6) near5 host) with remotely VSPAT; V | | | | | |
| auxilary or connected or coupled) and @ad<20011026 and (off?line or offline or ????operational or power\$3 adj1 off)) ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address) with server ((((generat\$ or creat\$5) near3 address) with server ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same (hardware or physical) near2 address with server ((address) same based near5 (hardware or physical) near2 address with server ((advice or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code)) ((device or computer or machine or host or system or unit or subsystem) near5 or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or information or data or configuration or code)) ((control\$5 or manag\$6) near5 host) with remotely | | | | | |
| Bad<20011026 and (off?line or offline or ?????operational or power\$3 adj1 off)) Control Co | | | | | |
| - 1 ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) with server 1 ((((generat\$ or creat\$5) near3 address) with server 1 (((((generat\$ or creat\$5) near3 address) with server 2 (((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same (hardware or physical) near2 address) same (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address with server 1 ((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code)) 1 ((device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code)) 1 ((device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code)) 1 ((device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or information or data or configuration or code)) 1 ((control\$5 or manag\$6) near5 host) with remotely 2 (2003/06/05 19:12 2 (| | | | | |
| Control some (hardware or physical) near2 address) USPAT; US | | | | | |
| same (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address) (hardware or physical) near2 address) with server 1 ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address with server 1458846 ((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code)) ((device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or information or data or configuration or code)) 1459447 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or information or data or configuration or code)) ((control\$5 or manag\$6) near5 host) with remotely 19:12 USPAT; | _ | 1 | | USPAT; | 2003/06/05 |
| physical) near2 address) and (based near5 (hardware or physical) near2 address) with server (((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address with server - 1458846 ((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code)) - 1459447 ((device or computer or machine or host or system or unit or subsystem) near5 (information or data or configuration or code)) ((device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code)) ((control\$5 or manag\$6) near5 host) with remotely DERWENT 2003/06/06 10:44 | ļ | | | US-PGPUB; | 19:12 |
| (hardware or physical) near2 address) with server ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address and based near5 (hardware or physical) near2 address with server ((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adj1 configuration) near5 (information or data or configuration or code)) ((device or computer or machine or host or system or unit or subsystem) (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or information or data or configuration or code)) ((control\$5 or manag\$6) near5 host) with remotely USPAT; US-PGPUB; EPO; JPO; DERWENT 2003/06/06 US-PGPUB; EPO; JPO; DERWENT 2003/06/06 US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO; DERWENT 2003/06/06 US-PGPUB; EPO; JPO; DERWENT 2003/06/06 US-PGPUB; EPO; JPO; DERWENT 2003/06/06 US-PGPUB; EPO; JPO; | İ | | address) same based near5 (hardware or | EPO; JPO; | |
| with server ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address with server 1458846 ((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code)) ((device or computer or machine or host or system or unit or subsystem or data or configuration or code)) ((device or computer or machine or host or system or unit or subsystem) near5 ((device or computer or machine or host or system or unit or subsystem) near5 ((BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or information or data or configuration or code)) ((control\$5 or manag\$6) near5 host) with remotely USPAT; US | | | | DERWENT | |
| 1 ((((generat\$ or creat\$5) near3 address) same (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address with server 1458846 ((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adjl configuration or code)) ((device or computer or machine or host or system or unit or subsystem) near5 (laformation or data or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adjl configuration or information or data or configuration or code)) ((control\$5 or manag\$6) near5 host) with remotely 10 configuration or code) (USPAT; US-PGPUB; EPO; JPO; DERWENT) 2003/06/06 logical processor of the processor of | | | | | |
| same (hardware or physical) near2 address) same based near5 (hardware or physical) near2 address) and based near5 (hardware or physical) near2 address with server ((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code)) ((device or computer or machine or host or configuration or code)) ((device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or information or data or configuration or code)) ((control\$5 or manag\$6) near5 host) with remotely USPAT; | | _ | | I TANDAM | 2002/06/25 |
| address) same based near5 (hardware or physical) near2 address) and based near5 (hardware or physical) near2 address with server 1458846 (device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code)) 1459447 (device or computer or machine or host or configuration or code)) ((device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or information or data or configuration or code)) ((control\$5 or manag\$6) near5 host) with remotely EPO; JPO; DERWENT 2003/06/06 10:44 EPO; JPO; DERWENT 2003/06/06 10:45 | - | 1 | | | , - · · · · · · · · · · · · · · · · · · |
| physical) near2 address) and based near5 (hardware or physical) near2 address with server ((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code)) ((device or computer or machine or host or configuration or code)) ((device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or information or data or configuration or code)) ((control\$5 or manag\$6) near5 host) with remotely DERWENT 2003/06/06 10:41 2003/06/06 10:44 USPAT; US-PGPUB; EPO; JPO; DERWENT 2003/06/06 10:45 | | | | 1 | 13.14 |
| (hardware or physical) near2 address with server ((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code)) ((device or computer or machine or host or configuration or code)) ((device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or information or data or configuration or code)) ((control\$5 or manag\$6) near5 host) with remotely (NSPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO; | | | | 1 | |
| server ((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code)) 1459447 ((device or computer or machine or host or configuration or code)) ((device or computer or machine or host or system or unit or subsystem) near5 ((BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code)) ((glos or (manag\$6 near2 logic) or advanced adj1 configuration or code)) ((control\$5 or manag\$6) near5 host) with remotely SPAT; US-PGPUB; EPO; JPO; DERWENT | | | | DELMENT | |
| - 1458846 ((device or computer or machine or host or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code)) - 1459447 ((device or computer or machine or host or configuration or code)) ((device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or information or data or configuration or code)) - 358 ((control\$5 or manag\$6) near5 host) with remotely 1459846 ((device or computer or machine or host or data or configuration or data or computer or machine or host or data or configuration or data or configuration or data or configuration or code)) 2003/06/06 10:41 2003/06/06 10:44 2003/06/06 10:45 2003/06/06 10:45 2003/06/06 10:45 2003/06/06 2003/06 | | | · | | |
| or system or unit or subsystem or BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or code)) - 1459447 (device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or information or data or configuration or code)) - 358 ((control\$5 or manag\$6) near5 host) with remotely Or system or unit or subsystem or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or information or data or configuration or code)) Or system or unit or subsystem or data or box or manag\$6 near5 host) with remotely | _ | 1458846 | | USPAT; | 2003/06/06 |
| (manag\$6 near2 logic) or advanced adj1 configuration near5 (information or data or configuration or code)) 1459447 ((device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or information or data or configuration or code)) 358 ((control\$5 or manag\$6) near5 host) with remotely EPO; JPO; USPAT; US-PGPUB; US-PGPUB; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO; | | 1130040 | , , | | |
| configuration) near5 (information or data or configuration or code)) - 1459447 ((device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or information or data or configuration or code)) - 358 ((control\$5 or manag\$6) near5 host) with remotely Configuration or data or configuration or code) USPAT; U | | Į. | | 1 | |
| or configuration or code)) ((device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or information or data or configuration or code)) 358 ((control\$5 or manag\$6) near5 host) with remotely Or configuration or code) USPAT; US-PGPUB; EPO; JPO; USPAT; USP | 1 | | | | |
| - 1459447 ((device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or information or data or configuration or code)) - 358 ((control\$5 or manag\$6) near5 host) with remotely (device or computer or machine or host USPAT; US-PGPUB; EPO; JPO; USPAT; USPAT; USPAT; USPAT; US-PGPUB; EPO; JPO; | | | | | |
| (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or information or data or configuration or code)) - 358 ((control\$5 or manag\$6) near5 host) with remotely USPAT; US-PGPUB; EPO; JPO; | - | 1459447 | ((device or computer or machine or host | | |
| advanced adj1 configuration or information or data or configuration or code)) - 358 ((control\$5 or manag\$6) near5 host) with remotely USPAT; USPAT; USPGPUB; EPO; JPO; | | | | | 10:44 |
| information or data or configuration or code)) - 358 ((control\$5 or manag\$6) near5 host) with remotely USPAT; US-PGPUB; EPO; JPO; | | | | | |
| code)) ((control\$5 or manag\$6) near5 host) with USPAT; remotely USPGPUB; EPO; JPO; | 1 | | | DERWENT | |
| - 358 ((control\$5 or manag\$6) near5 host) with USPAT; 2003/06/06 remotely US-PGPUB; EPO; JPO; | | | | | |
| remotely US-PGPUB; 10:45 EPO; JPO; | | 252 | | HCDAT. | 2002/06/06 |
| EPO; JPO; | - | 358 | | | 1 |
| | | | remorery | 1 | 10.40 |
| | | | | DERWENT | |

| | 0.40130 | Time to the second seco | IICDAM. | 2002/06/06 |
|---|---------|--|---|---------------------|
| - | 249138 | <pre>(upload\$5 or transfer\$5 or receiv\$5).ab. and (run?time or POST or boot\$3 or power\$3 or power adj1 self).ab.</pre> | USPAT; US-PGPUB; EPO; JPO; | 2003/06/06 10:47 |
| - | 26899 | (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (boot\$3 or boot adj1 time or power adj1 on or run?time or (self near1 | DERWENT USPAT; US-PGPUB; EPO; JPO; | 2003/06/06 11:01 |
| - | 5190 | test\$3) or POST or BIOS) | DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/06/06 10:49 |
| | | <pre>power adj1 on or run?time or (self near1 test\$3) or POST or BIOS))</pre> | | |
| | 1370 | or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or information or data or configuration or code))) and (((upload\$5 or transfer\$5 or receiv\$5).ab. and (run?time or POST or boot\$3 or power\$3 or power adj1 self).ab.) and ((transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (boot\$3 or boot adj1 time or power adj1 on or run?time or (self near1 test\$3) or POST | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/06 10:50 |
| | 0 | or BIOS))) ((((device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or information or data or configuration or code)) and (((upload\$5 or transfer\$5 or receiv\$5).ab. and (run?time or POST or boot\$3 or power\$3 or power adj1 self).ab.) and ((transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (boot\$3 or boot adj1 time or power adj1 on or run?time or (self near1 test\$3) or POST or BIOS)))) and (((control\$5 or manag\$6) near5 host) with remotely) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/06 10:50 |
| - | 30 | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/06 |
| - | 0 | 1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/06 10:51 |
| - | 26 | (((transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (boot\$3 or boot adj1 time or power adj1 on or run?time or (self near1 test\$3) or POST or BIOS)) and (((control\$5 or manag\$6) near5 host) with remotely)) and @ad<20011026 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/06/06 10:52 |

| | 529 | (((device or computer or machine or host | USPAT; | 2003/06/06 |
|---|------|---|-----------|------------|
| | | or system or unit or subsystem) near5 | US-PGPUB; | 11:06 |
| | | (BIOS or (manag\$6 near2 logic) or | EPO; JPO; | |
| | | advanced adj1 configuration or | DERWENT | |
| | | information or data or configuration or | DBINDINA | |
| | | | | |
| | | code))) and (((upload\$5 or transfer\$5 | | |
| | 1 | or receiv\$5).ab. and (run?time or POST or | |] |
| | i | boot\$3 or power\$3 or power adj1 | | |
| | | self).ab.) and ((transfer\$5 or upload\$5 | | |
| | | or transmit\$5 or send\$5) with (boot\$3 or | | |
| | | boot adj1 time or power adj1 on or | | |
| | i | run?time or (self near1 test\$3) or POST | | |
| | | or BIOS)))) and (transfer\$5 or upload\$5 | | |
| | | or transmit\$5 or send\$5) with (boot\$3 or | | |
| | | boot adj1 time or power adj1 on or | | |
| | | run?time or (self near1 test\$3) or POST | | |
| | | or BIOS) with (information or | | |
| | | configuration or (manag\$5 adj1 logic) or | | |
| | | code) | | |
| _ | 1370 | 1 ' | USPAT; | 2003/06/06 |
| | | or system or unit or subsystem) near5 | US-PGPUB; | 11:14 |
| | | (BIOS or (manag\$6 near2 logic) or | EPO; JPO; | |
| | | advanced adj1 configuration or | DERWENT | |
| | | information or data or configuration or | 222 | |
| | | code))) and (((upload\$5 or transfer\$5 | | |
| | | or receiv\$5).ab. and (run?time or POST or | | |
| | | boot\$3 or power\$3 or power adj1 | | |
| | | self).ab.) and ((transfer\$5 or upload\$5 | ļ | |
| | | or transmit\$5 or send\$5) with (boot\$3 or | | |
| | | | | |
| | | boot adj1 time or power adj1 on or | | |
| | | run?time or (self near1 test\$3) or POST | | |
| | 1 | or BIOS)))) and (transfer\$5 or upload\$5 | | |
| | | or transmit\$5 or send\$5) with (boot\$3 or | | |
| | | boot adj1 time or power adj1 on or | | |
| | | power\$3 or run?time or (self near1 | | |
| | | test\$3) or POST or BIOS) | | |
| - | 145 | | USPAT; | 2003/06/06 |
| | | host or system or unit or subsystem) | US-PGPUB; | 11:18 |
| | | near5 (BIOS or (manag\$6 near2 logic) or | EPO; JPO; | |
| | | advanced adj1 configuration or | DERWENT | |
| | | information or data or configuration or | | |
| | | code))) and (((upload\$5 or transfer\$5 | | |
| | | or receiv\$5).ab. and (run?time or POST or | | |
| | | boot\$3 or power\$3 or power adj1 | | |
| | | self).ab.) and ((transfer\$5 or upload\$5 | | |
| | | or transmit\$5 or send\$5) with (boot\$3 or | | 1 |
| | | boot adj1 time or power adj1 on or | | |
| | | run?time or (self near1 test\$3) or POST | | |
| | | or BIOS)))) and (transfer\$5 or upload\$5 | | |
| | | or transmit\$5 or send\$5) with (boot\$3 or | | 1 |
| | | boot adj1 time or power adj1 on or | | |
| | | power\$3 or run?time or (self near1 | | |
| | | E | | |
| | | test\$3) or POST or BIOS)) and | | |
| | | (transfer\$5 or upload\$5 or transmit\$5 or | | |
| | | send\$5) with (during or prior or before) | | 1 |
| | | near3 (boot\$3 or boot adj1 time or power | | |
| ŀ | | adj1 on or power\$3 or run?time or (self | | |
| i | | near1 test\$3) or POST or BIOS) | | |

| | | | **** | 2002/06/06 |
|---|-------|--|---|---------------------|
| | 12 | ((((((device or computer or machine or host or system or unit or subsystem) near5 (BIOS or (manag\$6 near2 logic) or advanced adj1 configuration or information or data or configuration or code))) and (((upload\$5 or transfer\$5 or receiv\$5).ab. and (run?time or POST or boot\$3 or power\$3 or power adj1 self).ab.) and ((transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (boot\$3 or boot adj1 time or power adj1 on or run?time or (self near1 test\$3) or POST or BIOS)))) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (boot\$3 or boot adj1 time or power adj1 on or power\$3 or run?time or (self near1 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/06/06 11:19 |
| | | test\$3) or POST or BIOS)) and (transfer\$5 or upload\$5 or transmit\$5 or send\$5) with (during or prior or before) near3 (boot\$3 or boot adj1 time or power adj1 on or power\$3 or run?time or (self near1 test\$3) or POST or BIOS)) and signature | | |
| _ | 2 | ("6256732").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/06/07 16:31 |
| - | 3101 | (boot\$3 or power\$5) same signature | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/06/07 |
| - | 272 | ((boot\$3 or power\$5) same signature) same (search\$5 or look\$5) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/06/07 16:53 |
| - | 96 | <pre>(upload\$5 or transfer\$5 or send\$4 or transmi\$6) same (((boot\$3 or power\$5) same signature) same (search\$5 or look\$5))</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/06/07 16:51 |
| _ | 16 | <pre>((upload\$5 or transfer\$5 or send\$4 or transmi\$6) same (((boot\$3 or power\$5) same signature) same (search\$5 or look\$5))) same (search\$5 or look\$5) with signature</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/07 18:05 |
| - | 73751 | ((upload\$5 or transfer\$5 or send\$4 or transmi\$6) near5 (boot\$3 or power\$3 or run?time BIOS or POST) with (information or data or operating adj1 system or configuration or system)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/07 19:09 |
| - | 0 | (((upload\$5 or transfer\$5 or send\$4 or transmi\$6) near5 (boot\$3 or power\$3 or run?time BIOS or POST) with (information or data or operating adj1 system or configuration or system))) same (logic adj1 unit or manag\$57 near1 logic) same auxilary | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/07 18:32 |
| - | 0 | 1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/07 18:32 |

| - | 0 | (((upload\$5 or transfer\$5 or send\$4 or | USPAT; | 2003/06/07 |
|----------|-----|---|--|---------------------|
| | | transmi\$6) near5 (boot\$3 or power\$3 or | US-PGPUB; | 18:33 |
| | | run?time BIOS or POST) with (information | EPO; JPO; DERWENT; | |
| | | or data or operating adjl system or configuration or system)) same (logic | IBM TDB | |
| <u> </u> | | adj1 unit or manag\$6 near1 logic) and | 1011_100 | |
| | | auxilary | | |
| _ | 66 | (((upload\$5 or transfer\$5 or send\$4 or | USPAT; | 2003/06/07 |
| | | transmi\$6) near5 (boot\$3 or power\$3 or | US-PGPUB; | 19:08 |
| | | run?time BIOS or POST) with (information | EPO; JPO; | |
| | | or data or operating adj1 system or | DERWENT; | |
| | | configuration or system))) same (logic | IBM_TDB | |
| | 1 | adj1 unit or manag\$6 near1 logic) | TIGDAM. | 2002/06/07 |
| - | 15 | ((((upload\$5 or transfer\$5 or send\$4 or transmi\$6) near5 (boot\$3 or power\$3 or | USPAT; US-PGPUB; | 2003/06/07 19:08 |
| | | run?time BIOS or POST) with (information | EPO; JPO; | 15.00 |
| | | or data or operating adj1 system or | DERWENT; | |
| | | configuration or system))) same (logic | IBM TDB | |
| | | adj1 unit or manag\$6 near1 logic)) and | _ | |
| | | (upload\$5 or transfer\$5 or send\$4 or | | |
| | | transmi\$6) near5 (during or soon or prior | | |
| | | or pre\$1 or before) near5 (boot\$3 or | i | |
|] | | power\$3 or run?time BIOS or POST) | HCDAM - | 2002/06/07 |
| - | 833 | (((upload\$5 or transfer\$5 or send\$4 or transmi\$6) near5 (boot\$3 or power\$3 or | USPAT; US-PGPUB; | 2003/06/07 19:08 |
| | 1 | run?time BIOS or POST) with (information | EPO; JPO; | 19:08 |
| | | or data or operating adj1 system or | DERWENT; | |
| | | configuration or system))) and (logic | IBM TDB | |
| | | adj1 unit or manag\$6 near1 logic) | _ | |
| - | 2 | ("6438592").PN. | USPAT; | 2003/06/07 |
| | | | US-PGPUB; | 19:10 |
| | | | EPO; JPO; | |
| | | | DERWENT; | _ |
| | 2 | 6438592.URPN. | IBM_TDB USPAT | 2003/06/07 |
| _ | | 0430392.0RPN. | OSFAI | 19:22 |
| _ | 13 | ("5999179" "6070190" "6141699" | USPAT | 2003/06/07 |
| | | "6148335" "6151023" "6175832" | | 19:25 |
| | 1 | "6178449" "6271845" "6317786" | | |
| | | "6339750" "6363421" "6405252" | | |
| | _ | "6438592").PN. | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | 2002/06/07 |
| - | 5 | 6178449.URPN. | USPAT | 2003/06/07 |
| _ | 122 | ((((upload\$5 or transfer\$5 or send\$4 or | USPAT; | 2003/06/07 |
| | 122 | transmi\$6) near5 (boot\$3 or power\$3 or | US-PGPUB; | 19:44 |
| | | run?time BIOS or POST) with (information | EPO; JPO; | |
| | | or data or operating adj1 system or | DERWENT; | |
| | | configuration or system))) and (logic | IBM_TDB | |
| | | adj1 unit or manag\$6 near1 logic)) and | | |
| | | (upload\$5 or transfer\$5 or send\$4 or | | |
| | | transmi\$6) near5 (during or soon or prior or pre\$1 or before) near5 (boot\$3 or | 1 | |
| | | power\$3 or run?time BIOS or POST) | | |
| _ | 115 | (((((upload\$5 or transfer\$5 or send\$4 or | USPAT; | 2003/06/07 |
| | 110 | transmi\$6) near5 (boot\$3 or power\$3 or | US-PGPUB; | 19:45 |
| | | run?time BIOS or POST) with (information | EPO; JPO; | |
| | | or data or operating adj1 system or | DERWENT; | |
| | | configuration or system))) and (logic | IBM_TDB | |
| | | adj1 unit or manag\$6 near1 logic)) and | | |
| | | (upload\$5 or transfer\$5 or send\$4 or | | |
| | | transmi\$6) near5 (during or soon or prior | | |
| | | or pre\$1 or before) near5 (boot\$3 or power\$3 or run?time BIOS or POST)) and | | |
| | | Qad<20011026 | | |
| L | | | L | L |